

02 Recessed Spots Fixed LED>The IP65 Project Range

10107DL/W/W



6,5W COB LED recessed spot IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89008A





89008AT

Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Project Range
Order Code	10107DL/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	80mm
Diameter	53mm
Cutout Hole Diameter	42mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	84lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	9,5cm
Box Weight	0.210kg
Pcs/Carton	50
Barcode	5291889048756
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

