

06 Downlights Fixed LED>The Dark Light Project Range

## 10118TD/W/C



18W LED recessed downlight, IP54. Suitable for Indoor/Outdoor installation.

Complete with 450mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification



Item Group	06 Downlights Fixed LED
Family	The Dark Light Project Range
Order Code	10118TD/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	86mm
Diameter	170mm
Cutout Hole Diameter	150mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes

Outdoor
Adjustable



Yes
No

## Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark


External-Included
220-240V
Yes
Yes

18W
IP54
LED built in
No


Fitting
Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
F Mark


Constant Current
450mA
39V

17,55W
IP54
LED built in
SMD 2835
Epistar


Gear
Gear Type

Led Driver
------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,5-18W
Power Factor	0,9
Constant Current	Yes
450mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	ONE

#### Illumination Data

Colour Temperature	4000K
Lumen Output	1710lm
Light Efficiency	95lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	19cm
Box Width	19cm
Box Height	9,6cm
Pcs/Carton	24
Barcode	5291889069676
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

