



# **Product Datasheet**

04 Recessed Spots Adjustable LED>The 3W Mini Series Aluminium

# 11103LC/B/D/15



3W LED adjustable recessed spot, mini series range, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.




#### Downloads







#### Dimensions



#### Gallery



#### Must be ordered separately







89004AT

## Physical Specification Item Group 04 Recessed Spots Adjustable LED Family The 3W Mini Series Aluminium Order Code 11103LC/B/D/15 Colour Black Material Aluminium Shape Circular Height 36mm Diameter 52mm **Cutout Hole Diameter** 45mm Recessed Ceiling Yes Depth Required 56mm Indoor Yes Adjustable 1 Direction

#### **Electrical Characteristics**

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	F

### Illumination Data

Colour Temperature 6000K

Lumen Output	120lm
Light Efficiency	40lm/W
Beam Angle	15°
Illumination Diagram	

Packing Info	
Pcs/Carton	100
Barcode	5291889023104
HS Code	9405409900

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes



