

04 Recessed Spots Adjustable LED>The 3W Mini Series Aluminium

11103LC/B/D/35



3W LED adjustable recessed spot, mini series range, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004A



89004AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3W Mini Series Aluminium
Order Code	11103LC/B/D/35
Colour	Black
Material	Aluminium
Shape	Circular
Height	36mm
Diameter	52mm
Cutout Hole Diameter	45mm
Recessed Ceiling	Yes
Depth Required	56mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	6000K
--------------------	-------

Lumen Output	120lm
Light Efficiency	40lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info

Pcs/Carton	100
Barcode	5291889023111
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

