

04 Recessed Spots Adjustable LED>The 3xLED Round Spots Aluminium

11103L/D/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004





89004T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3xLED Round Spots Aluminium
Order Code	11103L/D/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	40mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	6000K
--------------------	-------

Lumen Output	180lm
Light Efficiency	60lm/W
Beam Angle	15°
Illumination Diagram	

Packing Info

Pcs/Carton	100
Barcode	5291889020257
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

