

www.1-light.eu



04 Recessed Spots Adjustable LED>The 3x1W Glass Lens Spots

11103N/AL/W/35



3x1W LED glass lens adjustable recessed spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.










Downloads







Dimensions



Gallery





Must be ordered separately





89004

89004T

Item Group 04 Recessed Spots Adjustable LED Family The 3x1W Glass Lens Spots 11103N/AL/W/35 Order Code Colour Aluminium Natural Aluminium Material Diffuser Material Glass Circular Shape Height 40mm Diameter 80mm Cutout Hole Diameter 70mm Recessed Ceiling Yes Depth Required 50mm Indoor Yes 1 Direction Adjustable

Electrical Characteristics

Physical Specification

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info	
Pcs/Carton	100
Barcode	5291889023197
HS Code	9405409900

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes



