

www.1-light.eu

04 Recessed Spots Adjustable LED>The 3x1W Glass Lens Spots

11103N/B/D/35



3x1W LED glass lens adjustable recessed spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.















## Downloads







#### Dimensions







#### Gallery





#### Must be ordered separately





89004

89004T

# Item Group 04 Recessed Spots Adjustable LED Family The 3x1W Glass Lens Spots Order Code 11103N/B/D/35 Colour Black Material Aluminium Diffuser Material Glass Circular Shape Height 40mm Diameter 80mm Cutout Hole Diameter 70mm Recessed Ceiling Yes Depth Required 50mm Indoor Yes

1 Direction

## **Electrical Characteristics**

Adjustable

Physical Specification

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	<u> </u>
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	F

### Illumination Data

Colour Temperature	6000K
Lumen Output	180lm
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info	
Pcs/Carton	100
Barcode	5291889023203
HS Code	9405409900

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes



