

04 Recessed Spots Adjustable LED>The Reflector Spots

11106K/W



6W LED adjustable recessed spot, with built-in 100-240V LED driver, made of plastic, with 3 plastic rings, white, black and grey colour.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The Reflector Spots

Order Code

11106K/W

Material

Plastic

Shape

Circular

Height



59,5mm


Diameter

86mm

Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Brand	Nichia
LED Number	1
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz
60 Hz
Power(Watts)
Constant Current
IP Rating
Safety Class
Dimmable
Output Terminal

Yes
Yes
6W
Yes
IP20

No
Cable

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
345lm
57,5lm/W
80
38°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

10cm
10cm
8,5cm
0,150Kg
48
5291889035015
9405104090

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

