

04 Recessed Spots Adjustable LED>The Dimmable Reflector Spots

**11109KD/W/W**



9,2W LED adjustable recessed spot, with built-in 230V LED driver, made of plastic. Supplied with TRIAC dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The Dimmable Reflector Spots

Order Code

11109KD/W/W

Material

Aluminium

Diffuser Material

Acrylic

Shape



Circular


Height

62mm


Diameter	86mm
Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9,2W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,2W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	Yes
Output Terminal	Cable

## Illumination Data

Colour Temperature	3000K
Lumen Output	620lm
Light Efficiency	67,4lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

## Packing Info

Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889038689
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

