

13 Wall & Ceiling LED > LED Fashion Cylinders

12108C/B/W



8W COB LED Cylinder ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12108C/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	70mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		8W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		8V	
Power(Watts)		5,6W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Bridgelux	

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		1,9-6,72W	
Power Factor		0,5	

Constant Current	Yes
700mA	2,7-9,6V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	520lm
Light Efficiency	65lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	7,5cm
Box Width	7,5cm
Box Height	7,5cm
Box Weight	0.298kg
Pcs/Carton	50
Barcode	5291889059356
HS Code	9405413990

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

