

13 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12115LA/W/W



15W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12115LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	115mm
Diameter	118mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

42V

Power(Watts)

14,7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Philips

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

9,5-14W

Power Factor

0,9

Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
27-40V
IP20

No
Plastic
LIFUD

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
1300lm
86,67lm/W
80
50°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.552kg
36
5291889044901
9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

