




Product Datasheet

13 Wall & Ceiling LED>Decorative Wall & Ceiling Natural aluminium

60001/AL/R



3x0,2W LED Decorative Indoor Wall Light

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions

110mm





Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Decorative Wall & Ceiling Natural aluminium
Order Code	60001/AL/R
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	110mm
Width	37mm
Height	20mm
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	0,6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	0,6W
Power(Watts) IP Rating	0,6W IP20
IP Rating	IP20
IP Rating	IP20
IP Rating Light Source	IP20
IP Rating Light Source Gear	IP20 LED built in
IP Rating Light Source Gear Gear Type	LED built in Led Driver
IP Rating Light Source Gear Gear Type Input Voltage	LED built in Led Driver 220-240V
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz	LED built in Led Driver 220-240V Yes
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz	LED built in Led Driver 220-240V Yes Yes
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts)	LED built in Led Driver 220-240V Yes Yes 1W
IP Rating Light Source Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Power Factor	IP20 LED built in Led Driver 220-240V Yes Yes 1W 0,5

Safety Class	
Dimmable	No
Housing Material	Plastic
Illumination Data	
manmaton bata	
Colour Temperature	Red
Illumination Diagram	
Packing Info	
Box Weight	0.186kg
Pcs/Carton	100
Barcode	5291889005933
HS Code	9405409900
Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes

switch to one light!

