




Product Datasheet

14 Plafo>Square LED Plafo Steel

62104/MC



30W SMD LED steel square LED Plafo.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Πi	me	ne	in	ne
$\boldsymbol{\nu}$	\mathbf{I}	шо	ı	IJ

400	mm I		
٥	°	_	
		400mm	
			60mr

Physical Specification

Item Group	14 Plafo
Family	Square LED Plafo Steel
Order Code	62104/MC
Colour	Brushed Chrome
Material	Steel
Diffuser Material	Glass
Shape	Rectangular
Length	400mm
Width	400mm
Height	60mm
Surface Ceiling	Yes
Indoor	Yes

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	40V
Safety Class	
Power(Watts)	28W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
LED Number	144
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	17,5-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Ilumination Data	
Ilumination Data	
Ilumination Data Colour Temperature	3000K
Colour Temperature Illumination Diagram	3000K
Colour Temperature	3000K
Colour Temperature Illumination Diagram	3000K
Colour Temperature Illumination Diagram	3000K
Colour Temperature Illumination Diagram	3000K 45cm
Colour Temperature Illumination Diagram Packing Info	
Colour Temperature Illumination Diagram Packing Info Box Length	45cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width	45cm 43cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height	45cm 43cm 12cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight	45cm 43cm 12cm 5.130kg
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight Pcs/Carton	45cm 43cm 12cm 5.130kg

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



