


Product Datasheet

www.1-light.eu

09 Track Lights>Dark Light Tubes Track Lights

65656BT/B/W



12W SMD LED track spot with, ideal for shops and showrooms.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.







Downloads









Dimensions



Related items







40002A/B



40003A/B

Physical Specification

09 Track Lights
Dark Light Tubes Track Lights
65656BT/B/W
Black
Aluminium
Circular
73mm

Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics	
lectifical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	34V
Safety Class	
Power(Watts)	11,9W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Osram
LED Number	2

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	10,5-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KEGU
Illumination Data	
Illumination Data	
Illumination Data Colour Temperature	3000K
	3000K 960lm
Colour Temperature	
Colour Temperature Lumen Output	960lm
Colour Temperature Lumen Output Light Efficiency	960lm 80lm/W
Colour Temperature Lumen Output Light Efficiency CRI	960lm 80lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	960lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	960lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	960lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	960lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	960lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info	960lm 80lm/W 90 40° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info Box Weight	960lm 80lm/W 90 40° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info Box Weight Pcs/Carton	960lm 80lm/W 90 40° Yes 0.505kg

Warranty 3 years

switch to one light!

