




Product Datasheet

19 Wall Recessed & Inground>Inground Decking Sets

69002A/W



LED inground for decking and stairs, set of 6pcs with independent plug + 1 meter cable.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Inground Decking Sets
Order Code	69002A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Shape	Circular
Height	40mm
Diameter	35mm
Cutout Hole Diameter	30mm
Inground	Yes
Depth Required	60mm
Indoor	Yes


Outdoor	Yes
Adjustable	No
lectrical Characteristics	
iscincal Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6x0,5W
IP Rating	IP67
Light Source	LED built in
Dimmable	No
Cable Length	2m/2m
F Mark	F
Fitting	
Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	<u> </u>
Power(Watts)	3W
IP Rating	IP67
Light Source	LED built in
LED Number	6
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	6W
Power Factor	0,5
Constant Voltage	Yes
12 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Colour Temperature Lumen Output Light Efficiency Illumination Diagram 3000K 40lm/LED 80lm/W

Packing Info	
Pcs/Carton	6
Barcode	5291889065869
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



