




Product Datasheet

21 Industrial & Floodlights>The Industrial LED Lights Die cast

7056A/C



LED industrial wall light with COB. High lumen output, IP65, for outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	The Industrial LED Lights Die cast
Order Code	7056A/C
Colour	Black
Material	Die Cast
Diffuser Material	PC
Shape	Rectangular
Length	260mm
Width	300mm
Height	115mm
Surface Wall	Yes
Indoor	Yes

Outdoor	Yes
Adjustable	No
IK Rating	10
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	1200mA
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Constant Current	Yes
1200mA	0
IP Rating	IP20
Safety Class	
umination Data	
Colour Temperature	4000K
Lumen Output	4250lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	
acking Info	
Box Length	28,8cm
Box Width	16,2cm
Box Height	30,8cm
Box Weight	2.150kg
Pcs/Carton	6
Barcode	5291889040866

9405413990

Certification & Warranty

HS Code

Warranty 3 years



