

08 Strips & Profiles > The 24W/m Indoor 24V

7845/C



Flexible LED light strip, with SMD2216 LEDs, 280LEDs/meter, 24W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 2,5cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

| | |
|-----------------|----------------------|
| Item Group | 08 Strips & Profiles |
| Family | The 24W/m Indoor 24V |
| Order Code | 7845/C |
| Shape | Rectangular |
| Length | 5000mm |
| Width | 10mm |
| Surface Ceiling | Yes |

| | |
|----------------------|-----|
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class |  |
| Power(Watts) | 24W/m |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2216 |
| LED Brand | Refond |
| LED Number | 280LEDs/m |
| F Mark |  |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 2450lm/m |
| Light Efficiency | 102,08lm/W |
| CRI | 90 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|--------|
| Box Length | 24cm |
| Box Width | 21,5cm |
| Box Height | 2cm |
| Box Weight | 0,18kg |

Pcs/Carton

40

Barcode

5291889052333

HS Code

9405409989

Energy Label



Energy Class

E

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

