

one



one

Recessed Spots Fixed

Pages 03-36

01






The Star Light G4








10102 | 20W | G4 | Die cast



IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10102/BS	Brass	20W	12V		40cm	24mm	30mm	100	-

The Classic MR16




10105X | 50W | MR16 | GU5,3 | Die cast




10105X/W

IP20



10105X/B




10105X | 50W | MR16 | GU5,3 | Die cast



10105X/C

IP20

offer




10105XS | 50W | MR16 | GU5,3 | Pressed metal



10105XS/MC

IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
10105X/W	White	50W	12V		40cm	63mm	60mm	100	-
10105X/B	Black	50W	12V		40cm	63mm	60mm	100	-
10105X/C	Chrome	50W	12V		40cm	63mm	60mm	100	-
10105XS/MC	Brushed chrome	50W	12V		40cm	63mm	60mm	100	-

The Classic MR11 & MR16


12V



10103 | 35W | MR11 | GU4 | Die cast




IP20
offer



10105 | 50W | MR16 | GU5,3 | Die cast





IP20



10105 | 50W | MR16 | GU5,3 | Die cast



IP20



Order Code	Colour	Watts	Input	Class	S	T			Notes
10103/BS	Brass	35W	12V		40cm	51mm	45mm	100	-
10105/W	White	50W	12V		40cm	70mm	60mm	100	-
10105/MC	Brushed chrome	50W	12V		40cm	70mm	60mm	100	-




The Classic MR16 GU10



IP20


10105GU | 10W | MR16 | GU10 | Die cast



IP20

offer

10105GU | 10W | MR16 | GU10 | Die cast



Order Code	Colour	Watts	Input	Class					Notes
10105GU/W	White	10W	100-240V		15cm	70mm	150mm	100	-
10105GU/G	Grey	10W	100-240V		15cm	70mm	150mm	100	-

The Cement Range








10105CM | 10W | MR16 | GU10 | Cement + aluminium reflector



DARK LIGHT
IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10105CM	Cement	10W	100-240V		15cm	95mm	120mm	12	-




The Dual Ring Range Aluminium



10105A1 | 10W | MR16 | GU10 | Aluminium




IP20



10105A1 | 10W | MR16 | GU10 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class					Notes
10105A1/W	White	10W	100-240V		15cm	68mm	120mm	100	-
10105A1/B	Black	10W	100-240V		15cm	68mm	120mm	100	-


The Dark Light Dual Ring Aluminium



10105ALG | 10W | MR16 | GU10 | Aluminium




DARK LIGHT
IP20



10105ALG | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



50105ALG | 10W | MR16 | GU10 | Aluminium




DARK LIGHT
IP20



50105ALG | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10105ALG/W	White	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B	Black	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/AL	Aluminium	10W	100-240V		15cm	78mm	150mm	50	-
50105ALG/W	White	10W	100-240V		15cm	78mm	150mm	50	-
50105ALG/AL	Aluminium	10W	100-240V		15cm	78mm	150mm	50	-

The Dark Light Dual Ring Aluminium



10105ALG | 10W | MR16 | GU10 | Aluminium




10105ALG/W/B



DARK LIGHT
IP20



Complete with 0950GB.



10105ALG | 10W | MR16 | GU10 | Aluminium



10105ALG/W/BS


new
DARK LIGHT
IP20



10105ALG/W/GL



Complete with 0950GB.



10105ALG | 10W | MR16 | GU10 | Aluminium




10105ALG/B/GL

DARK LIGHT
IP20



Complete with 0950GB.




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105ALG/W/B	White	Black	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/W/BS	White	Brass	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/W/GL	White	Gold	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B/GL	Black	Gold	10W	100-240V		15cm	78mm	150mm	50	-




The Semi Trimless Dark Light


10105DG | 10W | MR16 | GU10 | Semi trimless | Aluminium




10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium



10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium



50105TG | 10W | MR16 | GU10 | Semi trimless | Die cast






Order Code	Colour	Watts	Input	Class					Notes
10105DG/W	White	10W	100-240V		15cm	76mm	155mm	50	-
10105TG/W	White	10W	100-240V		15cm	75mm	140mm	50	-
10105TG/B	Black	10W	100-240V		15cm	75mm	140mm	50	-
50105TG/W	White	10W	100-240V		15cm	76x76mm	140mm	50	-

The Semi Dark Light Range Aluminium






10105D1 | 10W | MR16 | GU10 | Aluminium



IP20






10105D2 | 10W | MR16 | GU10 | Aluminium



IP20




10105D4 | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Order Code	Colour	Watts	Input	Class	⊥	⌞	⬆	📦	Notes
10105D1/W	White	10W	100-240V	⊥	15cm	62mm	135mm	50	-
10105D1/B	Black	10W	100-240V	⊥	15cm	62mm	135mm	50	-
10105D2/W	White	10W	100-240V	⊥	15cm	62mm	120mm	50	-
10105D2/B	Black	10W	100-240V	⊥	15cm	62mm	120mm	50	-
10105D4/W	White	10W	100-240V	⊥	15cm	68mm	140mm	50	-
10105D4/B	Black	10W	100-240V	⊥	15cm	68mm	140mm	50	-

The Mix & Match Range




10105H | 10W | MR16 | GU10 | Die cast

LED version on page 48.




10105H | 10W | MR16 | GU10 | Die cast

LED version on page 48.



10105H | 10W | MR16 | GU10 | Die cast

LED version on page 48.



Order Code	Colour	Watts	Input	Class					Notes
10105H/W	White	10W	100-240V		15cm	64mm	100mm	50	-
10105H/B	Black	10W	100-240V		15cm	64mm	100mm	50	-
10105H/BS	Brass	10W	100-240V		15cm	64mm	100mm	50	-

The Mix & Match Range



10105H/B + 050182/W + 050182R/W

050182 | Rings for 10105H | Aluminium



050182/W White


IP20



050182/B Black



050182/BS Brass



050182R | Round base for 10105H | Aluminium



050182R/W White


IP20



050182R/B Black



050182R/BS Brass



050182RA | Square base for 10105H | Aluminium




050182RA/W White


IP20



050182RA/B Black



050182RA/BS Brass



050182RB | Double Square base for 10105H | Aluminium



050182RB/W White


IP20



050182RB/B Black



050182RB/BS Brass





10105D9/W/GL

10105D9/W/B

10105D9/B/GL

Recessed Cylinders Aluminium

10105D9 | 10W | MR16 | GU10 | Aluminium



10105D9/W/B

















Complete with 0950GB.




10105D9 | 10W | MR16 | GU10 | Aluminium



10105D9/W/GL

Complete with 0950GB.



10105D9 | 10W | MR16 | GU10 | Aluminium



10105D9/B/B











Complete with 0950GB.



10105D9 | 10W | MR16 | GU10 | Aluminium



10105D9/B/GL



















Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D9/W/B	White	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/W/GL	White	Gold	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/B	Black	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-



Recessed Cut Cylinders Aluminium



10105E1 | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



10105E1 | 10W | MR16 | GU10 | Aluminium




DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105E1/W/B	White	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105E1/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-


Semi Trimless Dark Light Aluminium



10105AD | 10W | MR16 | GU10 | Aluminium




DARK LIGHT
IP20



10105AD | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105AD/W/W	White	White	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/W/B	White	Black	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/B	Black	Black	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/BS	Black	Brass	10W	100-240V		15cm	64mm	130mm	36	-

Semi Trimless Dark Light

Aluminium




10105D8/W/GL

10105D8/B/B



10105D8/W/B


10105D8 | 10W | MR16 | GU10 | Aluminium



10105D8/W/GL




Complete with 0950GB.



10105D8/B/B


10105D8 | 10W | MR16 | GU10 | Aluminium




10105D8/B/BS



Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D8/W/B	White	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/W/GL	White	Gold	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/B	Black	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/BS	Black	Brass	10W	100-240V		15cm	62mm	130mm	50	-




The Chill Out Range Round

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/W/W

DARK LIGHT
IP20




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/W/B

DARK LIGHT
IP20




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/W/BS

DARK LIGHT
IP20




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/W/CU

DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/CU	White	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range

Round




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/B/B

DARK LIGHT
IP20




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/B/BS

DARK LIGHT
IP20




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M/B/CU

DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/CU	Black	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range

Round



10105MD/W/C




10105MD/B/B

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.




10105MD/W/C

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.




10105MD/W/GL

10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



10105MD/B/B

Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105MD/W/C	White	Chrome	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/GL	White	Gold	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-




The Chill Out Range Square



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

DARK LIGHT
IP20


Complete with 0950GB.



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

DARK LIGHT
IP20


Complete with 0950GB.



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

DARK LIGHT
IP20

Complete with 0950GB.



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

DARK LIGHT
IP20

Complete with 0950GB.

Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105M/W/BS	White	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/B	Black	Black	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/BS	Black	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/CU	Black	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-

The Asymmetric Chill Out Range


Square



50105MA/W/B



50105MA/B/B




50105MA/W/B




50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.



Asymmetric.




50105MA/B/B




50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.



Asymmetric.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105MA/W/B	White	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric
50105MA/B/B	Black	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric





The Decorative Spots



10105GL2 | 50W | MR16 | GU5,3 | Natural aluminium + glass




IP20
offer



50105AR | 50W | MR16 | GU5,3 | Natural aluminium



IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10105GL2/AL	Aluminium	50W	12V		40cm	60mm	50mm	50	-
50105AR/AL	Aluminium	50W	12V		40cm	70mm	75mm	50	-



10105CJ/MC/5

10105CJ/ABS/5


The Bathroom Range

Die cast




10105CJ/MC/5

10105CJ | 50W | MR16 | GU5,3 | Die cast



10105CJ/ABS/5

10105CJ | 50W | MR16 | GU5,3 | Die cast




Order Code	Colour	Watts	Input	Class					Notes
10105CJ/MC/5	Brushed chrome	50W	12V		40cm	102mm	120mm	50	-
10105CJ/ABS/5	Antique brass	50W	12V		40cm	102mm	120mm	50	-



The Fire Rated Dark Light



10109F | 10W | MR16 | GU10 | Fire Rated | Die cast



Order Code	Colour	Watts	Input	Class				Notes
10109F/W	White	10W	100-240V		73mm	160mm	30	-



The IP65 Bathroom Range

Aluminium

50105R1 | 10W | MR16 | GU10 | Aluminium


Complete with 0950GB.



50105R1/W




IP65



50105R1/B



50105R1/AL



Order Code	Colour	Watts	Input	Class					Notes
50105R1/W	White	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/B	Black	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/AL	Aluminium	10W	100-240V		15cm	68mm	120mm	50	Clear glass



one



The IP65 Bathroom Range



Aluminium

10105R1 | 10W | MR16 | GU10 | Aluminium




IP65

10105R1 | 10W | MR16 | GU10 | Aluminium




IP65

10105R1 | 10W | MR16 | GU10 | Aluminium



IP65

10105R1P | 10W | MR16 | GU10 | Aluminium



IP65

Order Code	Colour	Watts	Input	Class	⏏	⏏	⏏	📦	Notes
10105R1/W	White	10W	100-240V	⊕	15cm	68mm	120mm	50	Clear glass
10105R1/B	Black	10W	100-240V	⊕	15cm	68mm	120mm	50	Clear glass
10105R1/AL	Aluminium	10W	100-240V	⊕	15cm	68mm	120mm	50	Clear glass
10105R1P/W	White	10W	100-240V	⊕	15cm	68mm	120mm	50	Prismatic glass

The IP65 Dark Light Range Aluminium



10105R2 | 10W | MR16 | GU10 | Aluminium




DARK LIGHT
IP65



Complete with 0950G.



Clear glass.



Order Code	Colour	Watts	Input	Class	15cm	82mm	130mm	50	Notes
10105R2/W	White	10W	100-240V						Clear glass



The IP65 Dark Light Range Aluminium




10105R2P | 10W | MR16 | GU10 | Aluminium



Complete with 0950G.



Prismatic glass.




Order Code	Colour	Watts	Input	Class	15cm	82mm	130mm	50	Notes
10105R2P/W	White	10W	100-240V						Prismatic glass

Trimless Gypsum




10105GT2



10105GT1




10105GT1 | 10W | MR16 | GU10 | Trimless | Gypsum



IP20




10105GT2 | 10W | MR16 | GU10 | Trimless | Gypsum



DARK LIGHT
IP20



50105GT1 | 10W | MR16 | GU10 | Trimless | Gypsum




IP20

Order Code	Colour	Watts	Input	Class	⊖ S	⌈ / ⌋	⏏	📦	Notes
10105GT1	White	10W	100-240V	□	15cm	102mm	100mm	24	-
10105GT2	White	10W	100-240V	□	15cm	132mm	150mm	24	-
50105GT1	White	10W	100-240V	□	15cm	102x102mm	100mm	24	-

The Trimless Chill Out Range



Aluminium



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium






DARK LIGHT
IP20



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium





DARK LIGHT
IP20



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium



DARK LIGHT
IP20




Order Code	Colour	Watts	Input	Class					Notes
10105TR/W	White	10W	100-240V		15cm	70mm	120mm	60	-
10105TR/B	Black	10W	100-240V		15cm	70mm	120mm	60	-
10105TR/BS	Brass	10W	100-240V		15cm	70mm	120mm	60	-

The Trimless Chill Out Range


Round




10105RM + 050099/W




10105RM + 050099/B




10105RM + 050099/BS



10105RM + 050099/CU




10105RM + 050099/DC






The Trimless Chill Out Range

Round



10105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.




Order Code	Colour	Watts	Input	Class					Notes
10105RM	White	10W	100-240V		15cm	90mm	130mm	50	-




The Trimless Chill Out Range Square




50105RM + 050098/W



50105RM + 050098/B



50105RM + 050098/BS




50105RM + 050098/B

50105RM + 050098/CU

The Trimless Chill Out Range

Square






50105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.



DARK LIGHT
IP20



Order Code	Colour	Watts	Input	Class	⏏ S	⚡	⏏	📦	Notes
50105RM	White	10W	100-240V	⊕	15cm	85x75mm	130mm	50	-