



# Track Lights

Pages 277-312


# 09




# The COB Dark Light Range



65610AT | 10W | COB LED | Aluminium



65610AT | 10W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65610AT/W/C	White	Cool white	4000K	10W	800lm	38°	230V		20	Complete with 300mA driver
65610AT/W/W	White	Warm white	3000K	10W	800lm	38°	230V		20	Complete with 300mA driver
65610AT/B/W	Black	Warm white	3000K	10W	800lm	38°	230V		20	Complete with 300mA driver

# The COB Dark Light Range



65620AT | 20W | COB LED | Aluminium








65620AT | 20W | COB LED | Aluminium







  






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65620AT/W/C	White	Cool white	4000K	20W	1500lm	38°	230V		10	Complete with 500mA driver
65620AT/W/W	White	Warm white	3000K	20W	1500lm	38°	230V		10	Complete with 500mA driver



65614NT/W/W



65611NT/W/W

## The COB Track Light Range Aluminium




65611NT/W/C

IP20

65611NT | 15W | COB LED | Aluminium



65611NT/W/W




65612NT/W/C

IP20

65612NT | 30W | COB LED | Aluminium



65612NT/W/W




65614NT/W/C

IP20

65614NT | 42W | COB LED | Aluminium



65614NT/W/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65611NT/W/C	White	Cool white	4000K	15W	1300lm	38°	230V		10	Complete with 400mA driver
65611NT/W/W	White	Warm white	3000K	15W	1200lm	38°	230V		10	Complete with 400mA driver
65612NT/W/C	White	Cool white	4000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65612NT/W/W	White	Warm white	3000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65614NT/W/C	White	Cool white	4000K	42W	3780lm	38°	230V		10	Complete with 1000mA driver
65614NT/W/W	White	Warm white	3000K	42W	3780lm	38°	230V		10	Complete with 1000mA driver



# The COB Track Light Range Aluminium





65611NT | 15W | COB LED | Aluminium



65612NT | 30W | COB LED | Aluminium



65614NT | 42W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65611NT/B/C	Black	Cool white	4000K	15W	1300lm	38°	230V	⚡	10	Complete with 400mA driver
65611NT/B/W	Black	Warm white	3000K	15W	1200lm	38°	230V	⚡	10	Complete with 400mA driver
65612NT/B/C	Black	Cool white	4000K	30W	2700lm	38°	230V	⚡	10	Complete with 750mA driver
65612NT/B/W	Black	Warm white	3000K	30W	2700lm	38°	230V	⚡	10	Complete with 750mA driver
65614NT/B/C	Black	Cool white	4000K	42W	3780lm	38°	230V	⚡	10	Complete with 1000mA driver
65614NT/B/W	Black	Warm white	3000K	42W	3780lm	38°	230V	⚡	10	Complete with 1000mA driver




# The COB Shop Range White

65660BT/W/W + 050300B/BS



**65660AT** | 10W / 15W / 20W | COB LED | Aluminium


Adjustable power.



IP20



050300A/W White



050300A/BS Brass



050300AH/B Black with honeycomb




0750A/15 (15°) 0750A/24 (24°)



**65660BT** | 20W / 25W / 30W / 35W | COB LED | Aluminium


Adjustable power.



IP20



050300B/W White



050300B/BS Brass




050300BH/B Black with honeycomb



0750B/15 (15°) 0750B/24 (24°)

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65660AT/W/C	White	Cool white	4000K	10W-15W-20W	1200lm-1800lm-2400lm	38°	230V	□	20	Complete with driver
65660AT/W/W	White	Warm white	3000K	10W-15W-20W	1200lm-1800lm-2400lm	38°	230V	□	20	Complete with driver
65660BT/W/C	White	Cool white	4000K	20W-25W-30W-35W	2400lm-3000lm-3600lm-4200lm	38°	230V	□	10	Complete with driver
65660BT/W/W	White	Warm white	3000K	20W-25W-30W-35W	2400lm-3000lm-3600lm-4200lm	38°	230V	□	10	Complete with driver

# The COB Shop Range Black




**65660AT** | 10W / 15W / 20W | COB LED | Aluminium


Adjustable power.



IP20



050300A/W White



050300A/BS Brass



050300AH/B Black with honeycomb



0750A/15 (15°) 0750A/24 (24°)




**65660BT** | 20W / 25W / 30W / 35W | COB LED | Aluminium


Adjustable power.



IP20



050300B/W White



050300B/BS Brass



050300BH/B Black with honeycomb



0750B/15 (15°) 0750B/24 (24°)

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
<b>65660AT/B/C</b>	Black	Cool white	4000K	10W-15W-20W	1200lm-1800lm-2400lm	38°	230V		20	Complete with driver
<b>65660AT/B/W</b>	Black	Warm white	3000K	10W-15W-20W	1200lm-1800lm-2400lm	38°	230V		20	Complete with driver
<b>65660BT/B/C</b>	Black	Cool white	4000K	20W-25W-30W-35W	2400lm-3000lm-3600lm-4200lm	38°	230V		10	Complete with driver
<b>65660BT/B/W</b>	Black	Warm white	3000K	20W-25W-30W-35W	2400lm-3000lm-3600lm-4200lm	38°	230V		10	Complete with driver





# The COB Shop Range

## Dimmable



65660BTT/B/W




65660BTT/W/W

IP20

65660BTT | 35W | COB LED | TRIAC Dimmable | Aluminium



050300B/W White



050300B/BS Brass



050300BH/B Black with honeycomb




0750B/15 (15°) 0750B/24 (24°)




65660BTT/B/W

IP20

65660BTT | 35W | COB LED | TRIAC Dimmable | Aluminium



050300B/W White



050300B/BS Brass



050300BH/B Black with honeycomb



0750B/15 (15°) 0750B/24 (24°)




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65660BTT/W/C	White	Cool white	4000K	35W	4200lm	38°	230V	□	10	Complete with dimmable driver
65660BTT/W/W	White	Warm white	3000K	35W	4200lm	38°	230V	□	10	Complete with dimmable driver
65660BTT/B/C	Black	Cool white	4000K	35W	4200lm	38°	230V	□	10	Complete with dimmable driver
65660BTT/B/W	Black	Warm white	3000K	35W	4200lm	38°	230V	□	10	Complete with dimmable driver

# The COB Shop Range Dimmable DALI






65660BTL | 35W | COB LED | Push to DIM | DALI | Aluminium

Use standard 3 phase track.



65660BTL | 35W | COB LED | Push to DIM | DALI | Aluminium

Use standard 3 phase track.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65660BTL/W/C	White	Cool white	4000K	35W	4200lm	38°	230V	□	10	Complete with DALI driver
65660BTL/W/W	White	Warm white	3000K	35W	4200lm	38°	230V	□	10	Complete with DALI driver
65660BTL/B/C	Black	Cool white	4000K	35W	4200lm	38°	230V	□	10	Complete with DALI driver
65660BTL/B/W	Black	Warm white	3000K	35W	4200lm	38°	230V	□	10	Complete with DALI driver

# The COB Cylinder Track Light White




**65642AT** | 10W | COB LED | Aluminium



IP20

**LED BUILT IN**
  
**90 CRI**
  
**5 YEAR**
  
**ADJUSTABLE**
  
**CE**




**65642BT** | 20W | COB LED | Aluminium



IP20

**LED BUILT IN**
  
**90 CRI**
  
**5 YEAR**
  
**ADJUSTABLE**
  
**CE**




**65642CT** | 30W | COB LED | Aluminium



IP20

**LED BUILT IN**
  
**90 CRI**
  
**5 YEAR**
  
**ADJUSTABLE**
  
**CE**



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
<b>65642AT/W/C</b>	White	Cool white	4000K	10W	900lm	38°	230V		24	Complete with 250mA driver
<b>65642AT/W/W</b>	White	Warm white	3000K	10W	900lm	38°	230V		24	Complete with 250mA driver
<b>65642BT/W/C</b>	White	Cool white	4000K	20W	1800lm	38°	230V		18	Complete with 500mA driver
<b>65642BT/W/W</b>	White	Warm white	3000K	20W	1800lm	38°	230V		18	Complete with 500mA driver
<b>65642CT/W/C</b>	White	Cool white	4000K	30W	2700lm	38°	230V		15	Complete with 750mA driver
<b>65642CT/W/W</b>	White	Warm white	3000K	30W	2700lm	38°	230V		15	Complete with 750mA driver



65642BT/B/W


65642CT/B/C

# The COB Cylinder Track Light


## Black




65642AT | 10W | COB LED | Aluminium




65642BT | 20W | COB LED | Aluminium



65642CT | 30W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65642AT/B/C	Black	Cool white	4000K	10W	900lm	38°	230V	⚡	24	Complete with 250mA driver
65642AT/B/W	Black	Warm white	3000K	10W	900lm	38°	230V	⚡	24	Complete with 250mA driver
65642BT/B/C	Black	Cool white	4000K	20W	1800lm	38°	230V	⚡	18	Complete with 500mA driver
65642BT/B/W	Black	Warm white	3000K	20W	1800lm	38°	230V	⚡	18	Complete with 500mA driver
65642CT/B/C	Black	Cool white	4000K	30W	2700lm	38°	230V	⚡	15	Complete with 750mA driver
65642CT/B/W	Black	Warm white	3000K	30W	2700lm	38°	230V	⚡	15	Complete with 750mA driver



# Dark Light Tubes Track Lights



White



**65656AT** | 6W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



90 CRI  
ADJUSTABLE  
3 YEAR  
LED BUILT IN  
CE



**65656BT** | 12W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



90 CRI  
ADJUSTABLE  
3 YEAR  
LED BUILT IN  
CE



**65656CT** | 24W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



90 CRI  
ADJUSTABLE  
3 YEAR  
LED BUILT IN  
CE



**65656DT** | 36W | SMD 5050 | Aluminium

DARK LIGHT  
IP20

90 CRI  
ADJUSTABLE  
3 YEAR  
LED BUILT IN  
CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65656AT/W/W	White	Warm white	3000K	6W	480lm	40°	230V	⊕	28	Complete with 150mA driver
65656BT/W/W	White	Warm white	3000K	12W	960lm	40°	230V	⊕	20	Complete with 300mA driver
65656CT/W/W	White	Warm white	3000K	24W	1920lm	40°	230V	⊕	20	Complete with 700mA driver
65656DT/W/W	White	Warm white	3000K	36W	2880lm	40°	230V	⊕	15	Complete with 850mA driver



# Dark Light Tubes Track Lights



## Black



**65656AT** | 6W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



↑  
LED BUILT IN  
90 CRI  
ADJUSTABLE  
3 YEAR  
CE



**65656BT** | 12W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



↑  
LED BUILT IN  
90 CRI  
ADJUSTABLE  
3 YEAR  
CE



**65656CT** | 24W | SMD 5050 | Aluminium

DARK LIGHT  
IP20



↑  
LED BUILT IN  
90 CRI  
ADJUSTABLE  
3 YEAR  
CE



**65656DT** | 36W | SMD 5050 | Aluminium

DARK LIGHT  
IP20

↑  
LED BUILT IN  
90 CRI  
ADJUSTABLE  
3 YEAR  
CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65656AT/B/W	Black	Warm white	3000K	6W	480lm	40°	230V	⊕	28	Complete with 150mA driver
65656BT/B/W	Black	Warm white	3000K	12W	960lm	40°	230V	⊕	20	Complete with 300mA driver
65656CT/B/W	Black	Warm white	3000K	24W	1920lm	40°	230V	⊕	20	Complete with 700mA driver
65656DT/B/W	Black	Warm white	3000K	36W	2880lm	40°	230V	⊕	15	Complete with 850mA driver



65506BT/B/W



65406BT/B/W

## Mirror Square Track Lights

Die cast



65306BT/W/W

65306BT | 12W | COB LED | Die cast




IP20

3 YEAR



65306BT/B/W



65506BT/W/W

65506BT | 20W | COB LED | Die cast




IP20

3 YEAR



65506BT/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65306BT/W/W	White	Warm white	3000K	12W	960lm	38°	230V	⊕	30	Complete with 300mA driver
65306BT/B/W	Black	Warm white	3000K	12W	960lm	38°	230V	⊕	30	Complete with 300mA driver
65506BT/W/W	White	Warm white	3000K	20W	1600lm	38°	230V	⊕	20	Complete with 500mA driver
65506BT/B/W	Black	Warm white	3000K	20W	1600lm	38°	230V	⊕	20	Complete with 500mA driver

# Mirror Square Track Lights


Die cast



65406BT | 15W | LED | Die cast



IP20




65906BT | 30W | LED | Die cast



IP20



65906BT/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65406BT/W/W	White	Warm white	3000K	15W	1200lm	38°	230V	⊕	24	Complete with 350mA driver
65906BT/W/W	White	Warm white	3000K	30W	2400lm	38°	230V	⊕	16	Complete with 700mA driver
65906BT/B/W	Black	Warm white	3000K	30W	2400lm	38°	230V	⊕	16	Complete with 700mA driver





65652T/W/W



65644T/W/W


## The Honeycomb Range




65644T/W/W

**65644T** | 8W | COB LED | Dimmable | Aluminium


Complete with honeycomb.



IP20



65644T/B/W




65652T/W/W

**65652T** | 30W | COB LED | Die cast


Complete with honeycomb.



IP20



65652T/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
65644T/W/W	White	Warm white	3000K	8W	600lm	36°	230V	⊞	24	AC LED
65644T/B/W	Black	Warm white	3000K	8W	600lm	36°	230V	⊞	24	AC LED
65652T/W/C	White	Cool white	4000K	30W	1800lm	24°	230V	⊞	12	Complete with 700mA driver
65652T/W/W	White	Warm white	3000K	30W	1700lm	24°	230V	⊞	12	Complete with 700mA driver
65652T/B/C	Black	Cool white	4000K	30W	1800lm	24°	230V	⊞	12	Complete with 700mA driver
65652T/B/W	Black	Warm white	3000K	30W	1700lm	24°	230V	⊞	12	Complete with 700mA driver



65108T/W/W

65524T/W/W

# The COB Compact Cylinder Range




65524T/W/W


**65524T** | 8W | COB LED | Aluminium



IP20




65524T/B/W



65108AT/W/W

**65108AT** | 9W | COB LED | Aluminium




new

DARK LIGHT

IP20



65108AT/B/W




65108T/W/W

**65108T** | 8W | COB LED | Aluminium




DARK LIGHT

IP20



65108T/B/W



65524T/W/W

**65524T** | 12W | COB LED | Aluminium




DARK LIGHT


IP20



65524T/B/W




65524T/BBS/W



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65646T/W/W	White	Black	Warm white	3000K	8W	650lm	36°	230V	⌚	24	AC LED
65646T/B/W	Black	Black	Warm white	3000K	8W	650lm	36°	230V	⌚	24	AC LED
65108AT/W/W	White	Black	Warm white	3000K	9W	750lm	36°	230V	⌚	30	Complete with 200mA dimmable driver
65108AT/B/W	Black	Black	Warm white	3000K	9W	750lm	36°	230V	⌚	30	Complete with 200mA dimmable driver
65108T/W/W	White	Black	Warm white	3000K	8W	560lm	36°	230V	⌚	24	Complete with 300mA dimmable driver
65108T/B/W	Black	Brass	Warm white	3000K	8W	560lm	36°	230V	⌚	24	Complete with 300mA dimmable driver
65524T/W/W	White	Black	Warm white	3000K	12W	1080lm	36°	230V	⌚	24	Complete with 250mA driver
65524T/B/W	Black	Black	Warm white	3000K	12W	1080lm	36°	230V	⌚	24	Complete with 250mA driver
65524T/BBS/W	Brushed brass	Black	Warm white	3000K	12W	1080lm	36°	230V	⌚	24	Complete with 250mA driver



# The Black Heatsink Range



65628T | 15W | COB LED | Aluminium




IP20  
offer



65620TA | 15W | COB LED | Die cast





IP20  
offer



65620T | 20W | COB LED | Aluminium



IP20  
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65628T/W/W	White	Warm white	3000K	15W	1095lm	45°	230V	⊕	12	Complete with 400mA driver
65620TA/W/W	White	Warm white	3000K	15W	1095lm	45°	230V	⊕	12	Complete with 400mA driver
65620T/W/W	White	Warm white	3000K	20W	1460lm	45°	230V	⊕	12	Complete with 500mA driver



65619T/B/C


# The COB Track Spots



65626T | 25W | COB LED | Die cast

**LED BUILT IN**  
**80 CRI**  
**3 YEAR**  
**ADJUSTABLE**


IP20  
offer



65226T | 26W | COB LED | Die cast

**LED BUILT IN**  
**80 CRI**  
**3 YEAR**  
**ADJUSTABLE**


IP20  
offer



65619T | 38W | COB LED | Aluminium

**LED BUILT IN**  
**80 CRI**  
**3 YEAR**  
**ADJUSTABLE**

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65626T/W/W	White	Warm white	3000K	25W	1900lm	45°	100-240V		12	Complete with 580mA driver
65226T/W/W	White	Warm white	3000K	26W	1960lm	30°	100-240V		8	Complete with driver
65619T/B/C	Black	Cool white	4000K	38W	3200lm	36°	230V		16	Complete with 900mA driver



# The COB Zoomable Range White



**65662AT** | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.



IP20

**LED BUILT IN**
  
**90 CRI**
  
**5 YEAR**
  
**CE**





**65662BT** | 25W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.



IP20

**LED BUILT IN**
  
**90 CRI**
  
**5 YEAR**
  
**CE**




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
<b>65662AT/W/W</b>	White	Warm white	3000K	15W	1500lm	15°- 45°	230V		30	Complete with 350mA driver
<b>65662BT/W/W</b>	White	Warm white	3000K	25W	2500lm	15°- 45°	230V		20	Complete with 600mA driver

# The COB Zoomable Range Black





**65662AT** | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.



IP20





**65662BT** | 25W | COB LED | Adjustable beam 15°- 45° | Aluminium

Complete with honeycomb.



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Icons	Notes
65662AT/B/W	Black	Warm white	3000K	15W	1500lm	15°- 45°	230V	□	30	Complete with 350mA driver
65662BT/B/W	Black	Warm white	3000K	25W	2500lm	15°- 45°	230V	□	20	Complete with 600mA driver

# The COB Zoomable Cylinders


## White



**65650AT** | 15W | COB LED | Adjustable beam 20°- 60° | Aluminium




IP20



**65650BT** | 20W | COB LED | Adjustable beam 20°- 60° | Aluminium




new  
IP20



**65650CT** | 30W | COB LED | Adjustable beam 20°- 60° | Aluminium



new  
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
<b>65650AT/W/W</b>	White	Warm white	3000K	15W	1500lm	20°-60°	230V		15	Complete with 350mA driver
<b>65650BT/W/C</b>	White	Cool white	4000K	20W	2000lm	20°-60°	230V		15	Complete with 500mA driver
<b>65650BT/W/W</b>	White	Warm white	3000K	20W	2000lm	20°-60°	230V		15	Complete with 500mA driver
<b>65650CT/W/C</b>	White	Cool white	4000K	30W	3000lm	20°-60°	230V		15	Complete with 700mA driver
<b>65650CT/W/W</b>	White	Warm white	3000K	30W	3000lm	20°-60°	230V		15	Complete with 700mA driver

# The COB Zoomable Cylinders Black



**65650AT** | 15W | COB LED | Adjustable beam 20° - 60° | Aluminium

**90** CRI
   
**5** YEAR
   
 ADJUSTABLE




IP20



**65650BT** | 20W | COB LED | Adjustable beam 20° - 60° | Aluminium

**90** CRI
   
**5** YEAR
   
 ADJUSTABLE




new  
IP20



**65650CT** | 30W | COB LED | Adjustable beam 20° - 60° | Aluminium

**90** CRI
   
**5** YEAR
   
 ADJUSTABLE





new  
IP20



**65650T** | 30W | COB LED | Adjustable beam 20° - 60° | Aluminium

**80** CRI
   
**3** YEAR
   
 ADJUSTABLE



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
<b>65650AT/B/W</b>	Black	Warm white	3000K	15W	1500lm	20°-60°	230V		15	Complete with 350mA driver
<b>65650BT/B/C</b>	Black	Cool white	4000K	20W	2000lm	20°-60°	230V		15	Complete with 500mA driver
<b>65650BT/B/W</b>	Black	Warm white	3000K	20W	2000lm	20°-60°	230V		15	Complete with 500mA driver
<b>65650CT/B/C</b>	Black	Cool white	4000K	30W	3000lm	20°-60°	230V		15	Complete with 700mA driver
<b>65650CT/B/W</b>	Black	Warm white	3000K	30W	3000lm	20°-60°	230V		15	Complete with 700mA driver
<b>65650T/B/W</b>	Black	Warm white	3000K	30W	2300lm	20°-60°	230V		15	Complete with 750mA driver






# Adjustable LED Linear Track Light




65024T/W/W

IP20

**65024T** | 10x5W | COB LED | Linear track light | Aluminium + plastic



65024T/B/C




65026T/W/C

IP20

**65026T** | 40W | SMD 2835 | Linear track light | Aluminium + plastic



65026T/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
<b>65024T/W/W</b>	White	Warm white	3000K	10x5W	5800lm	30°	230V	⊕	10	Complete with 1200mA driver
<b>65024T/B/C</b>	Black	Cool white	4000K	10x5W	5800lm	30°	230V	⊕	10	Complete with 1200mA driver
<b>65024T/B/W</b>	Black	Warm white	3000K	10x5W	5800lm	30°	230V	⊕	10	Complete with 1200mA driver
<b>65026T/W/C</b>	White	Cool white	4000K	40W	3400lm	100°	230V	⊕	10	Complete with 1000mA driver
<b>65026T/W/W</b>	White	Warm white	3000K	40W	3200lm	100°	230V	⊕	10	Complete with 1000mA driver
<b>65026T/B/C</b>	Black	Cool white	4000K	40W	3400lm	100°	230V	⊕	10	Complete with 1000mA driver
<b>65026T/B/W</b>	Black	Warm white	3000K	40W	3200lm	100°	230V	⊕	10	Complete with 1000mA driver

# LED Linear Track Light




65024TA/W/W

IP20

**65024TA** | 15x1W | LED | Linear track light | Aluminium



65024TA/B/W




65018T/W/W

IP20

**65018T** | 16W | SMD 2835 | Linear track light | Aluminium + PC




65018T/B/W




65025T/W/W

IP20


**65025T** | 25W | SMD 2835 | Linear track light | Aluminium + PC



65025T/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65024TA/W/W	White	Warm white	3000K	15x1W	1200lm	30°	230V	⊕	10	AC LED
65024TA/B/W	Black	Warm white	3000K	15x1W	1200lm	30°	230V	⊕	10	AC LED
65018T/W/C	White	Cool white	4000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver
65018T/W/W	White	Warm white	3000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver
65018T/B/C	Black	Cool white	4000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver
65018T/B/W	Black	Warm white	3000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver
65025T/W/C	White	Cool white	4000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver
65025T/W/W	White	Warm white	3000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver
65025T/B/C	Black	Cool white	4000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver
65025T/B/W	Black	Warm white	3000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver



## High Power Linear Track Light




65170AT/W/W

IP20

65170AT | 30W | SMD 3030 | Linear track light | Aluminium



65170AT/B/W



65170BT/W/C

IP20

65170BT | 60W | SMD 3030 | Linear track light | Aluminium



65170BT/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65170AT/W/C	White	Cool white	4000K	30W	2700lm	90°	230V		12	Complete with 700mA driver
65170AT/W/W	White	Warm white	3000K	30W	2700lm	90°	230V		12	Complete with 700mA driver
65170AT/B/W	Black	Warm white	3000K	30W	2700lm	90°	230V		12	Complete with 700mA driver
65170BT/W/C	White	Cool white	4000K	60W	5400lm	90°	230V		12	Complete with 1500mA driver
65170BT/B/C	Black	Cool white	4000K	60W	5400lm	90°	230V		12	Complete with 1500mA driver
65170BT/B/W	Black	Warm white	3000K	60W	5400lm	90°	230V		12	Complete with 1500mA driver




## High Power Linear Track Light



65168T | 50W | SMD 2835 | Linear track light | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
65168T/W/W	White	Warm white	3000K	50W	6250lm	230V	⊕	Complete with 1400mA driver
65168T/B/W	Black	Warm white	3000K	50W	6250lm	230V	⊕	Complete with 1400mA driver



# Linear Box Lines

CCT V



65028AT/W/V


65028AT | 24W | LED | Linear track light | Aluminium + PC



**new**  
IP20



65028AT/B/V



65028BT/W/V


65028BT | 36W | LED | Linear track light | Aluminium + PC



**new**  
IP20



65028BT/B/V



65028CT/W/V


65028CT | 48W | LED | Linear track light | Aluminium + PC



**new**  
IP20



65028CT/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65028AT/W/V	White	CCT V	3000K-4200K-6500K	24W	2400lm	90°	230V		20	Complete with 600mA driver
65028AT/B/V	Black	CCT V	3000K-4200K-6500K	24W	2400lm	90°	230V		20	Complete with 600mA driver
65028BT/W/V	White	CCT V	3000K-4200K-6500K	36W	3600lm	90°	230V		15	Complete with 800mA driver
65028BT/B/V	Black	CCT V	3000K-4200K-6500K	36W	3600lm	90°	230V		15	Complete with 800mA driver
65028CT/W/V	White	CCT V	3000K-4200K-6500K	48W	4800lm	90°	230V		12	Complete with 800mA driver
65028CT/B/V	Black	CCT V	3000K-4200K-6500K	48W	4800lm	90°	230V		12	Complete with 800mA driver

# Linear Track Lights

## CCT V



65172AT/W/V


**65172AT** | 30W | SMD 2835 | Linear track light | Aluminium

**new**  
IP20


LED BUILT IN  
 90 CRI  
 CCT V  
 ADJUSTABLE  
 CE  
 3 YEAR  
 UGR19



65172AT/B/V



Removable honeycomb.



65172BT/W/V


**65172BT** | 40W | SMD 2835 | Linear track light | Aluminium

**new**  
IP20


LED BUILT IN  
 90 CRI  
 CCT V  
 ADJUSTABLE  
 CE  
 3 YEAR  
 UGR19



65172BT/B/V



Removable honeycomb.



65664AT/W/V


**65664AT** | 30W | SMD 2835 | Linear track light | Aluminium + PC

IP20

LED BUILT IN  
 90 CRI  
 IK06  
 CCT V  
 CE  
 3 YEAR



65664AT/B/V



65664BT/W/V


**65664BT** | 40W | SMD 2835 | Linear track light | Aluminium + PC

IP20

LED BUILT IN  
 90 CRI  
 IK06  
 CCT V  
 CE  
 3 YEAR



65664BT/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65172AT/W/V	White	CCT V	2700K-3200K-4000K	30W	3600lm (w/o honeycomb)	120°	230V	□	20	Complete with 750mA driver
65172AT/B/V	Black	CCT V	2700K-3200K-4000K	30W	3600lm (w/o honeycomb)	120°	230V	□	20	Complete with 750mA driver
65172BT/W/V	White	CCT V	2700K-3200K-4000K	40W	4800lm (w/o honeycomb)	120°	230V	□	10	Complete with 950mA driver
65172BT/B/V	Black	CCT V	2700K-3200K-4000K	40W	4800lm (w/o honeycomb)	120°	230V	□	10	Complete with 950mA driver
65664AT/W/V	White	CCT V	3000K-3500K-4000K	30W	3600lm	100°	230V	⏚	20	Complete with 700mA driver
65664AT/B/V	Black	CCT V	3000K-3500K-4000K	30W	3600lm	100°	230V	⏚	20	Complete with 700mA driver
65664BT/W/V	White	CCT V	3000K-3500K-4000K	40W	4800lm	100°	230V	⏚	12	Complete with 1000mA driver
65664BT/B/V	Black	CCT V	3000K-3500K-4000K	40W	4800lm	100°	230V	⏚	12	Complete with 1000mA driver




## The Dark Light GU10 Range Square



65105NAT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR




DARK LIGHT  
IP20



65105NAT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR



DARK LIGHT  
IP20

Order Code	Colour	Reflector	Watts	Input	Class	Box	Notes
65105NAT/W	White	Black	10W	100-240V	⊕	12	-
65105NAT/B	Black	Brass	10W	100-240V	⊕	12	-

# The Dark Light GU10 Range Round



65105NT/BBS




65105NT/MG

**65105NT** | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/W

**65105NT** | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/B

**65105NT** | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/BBS

**65105NT** | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.



65105NT/MG


Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105NT/W	White	Black	10W	100-240V		12	-
65105NT/B	Black	Brass	10W	100-240V		12	-
65105NT/BBS	Brushed brass	Black	10W	100-240V		12	-
65105NT/MG	Metal grey	Black	10W	100-240V		12	-




# Retro GU10 Track Lights



65105BT | 10W | MR16 | GU10 | Aluminium




65105BT/B



IP20




65105WT | 10W | MR16 | GU10 | Aluminium



IP20



65019T | 50W | MR16 | GU10 | Die cast



IP20

offer

Order Code	Colour	Watts	Input	Class		Notes
65105BT/W	White	10W	100-240V		30	-
65105BT/B	Black	10W	100-240V		30	-
65105WT/B	Black	10W	100-240V		30	-
65019T/G	Grey	50W	100-240V		16	-



## Cone GU10 Track Lights




65105CT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR




DARK LIGHT  
IP20



Complete with Black & Brass reflectors.



Use 7306CG GU10 LED lamp.




65105CT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR




DARK LIGHT  
IP20



Complete with Black & Brass reflectors.



Use 7306CG GU10 LED lamp.



65105CT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR




DARK LIGHT  
IP20



65105CT/MG



Use 7306CG GU10 LED lamp.



Order Code	Colour	Watts	Input	Class	Box	Notes
65105CT/W	White	10W	100-240V	⊕	40	-
65105CT/B	Black	10W	100-240V	⊕	40	-
65105CT/BBS	Brushed brass	10W	100-240V	⊕	40	-
65105CT/MG	Metal grey	10W	100-240V	⊕	40	-



GU10 R111 Track Light




65518T | 50W | R111 | GU10 | Aluminium



IP20



Suitable for R111 LED lamp.



Order Code	Colour	Watts	Input	Class	⊞	Notes
65518T/W	White	50W	100-240V	⊞	12	-

# MR16 GU10 Track Lights




65105GT

**65520T** | 10W | MR16 | GU10 | Aluminium



65520T/W


IP20



65520T/B



Suitable for GU10 LED lamp.




**65522T** | 10W | MR16 | GU10 | Aluminium




65522T/W

DARK LIGHT


IP20



65522T/B



Removable honeycomb.




**65519T** | 10W | MR16 | GU10 | Aluminium



IP20



Suitable for GU10 LED lamp.




**65105GT** | 10W | MR16 | GU10 | Polycarbonate



IP20



Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65520T/W	White	10W	100-240V		20	-
65520T/B	Black	10W	100-240V		20	-
65522T/W	White	10W	100-240V		24	-
65522T/B	Black	10W	100-240V		24	-
65519T/W	White	10W	100-240V		12	-
65105GT	Clear	10W	100-240V		40	-

# The E27/GU10 Track Lights



Die cast



65111AT | 75W | PAR30 | E27 | Die cast




IP20



65111AT | 75W | PAR30 | E27 | Die cast




IP20



65111AT | 75W | PAR30 | E27 | Die cast



IP20



65118AT | 50W | R111 | GU10 | Die cast



IP20



Order Code	Colour	Watts	Input	Class		Notes
65111AT/W	White	75W	100-240V		40	-
65111AT/B	Black	75W	100-240V		40	-
65111AT/G	Grey	75W	100-240V		40	-
65118AT/W	White	50W	100-240V		40	-
65118AT/G	Grey	50W	100-240V		40	-

one




## Adjustable Shape Beam Zoomable




65668T | 12W | COB LED | Adjustable shape beam | Aluminium



IP20



Distance from wall for smallest diameter has ratio x0,4 and for the largest x0,6.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
65668T/B/W	Black	Warm white	3000K	12W	350lm	230V	10	Complete with 300mA driver