



one

Wall & Ceiling LED

Pages 413-484

13





Window Frame Illumination




67454 | 6W | LED | Die cast

Window frame illumination.



IP65

CE 2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
67454/AN/W	Anthracite	Warm white	3000K	6W	330lm	270°	100-240V	⊞	18	Complete with 500mA driver

one

Indoor Mini Series

Natural aluminium




62401AL/D/15




60008/AL/D

60008A/AL/BL


60008A | 1W | LED | Natural aluminium




60008 | 2x1W | LED | Natural aluminium



65102 | 1W | LED | Natural aluminium



62401AL | 4x1W | LED | Natural aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
60008A/AL/BL	Aluminium	Blue	-	1W	-	100-240V	⊕	50	Complete with driver
60008/AL/D	Aluminium	Daylight	6000K	2x1W	2x60lm	100-240V	⊕	50	Complete with driver
60008/AL/BL	Aluminium	Blue	-	2x1W	-	100-240V	⊕	50	Complete with driver
65102/D	Aluminium	Daylight	6000K	1W	60lm	100-240V	⊕	20	Complete with driver
65102/W	Aluminium	Warm white	3000K	1W	45lm	100-240V	⊕	20	Complete with driver
62401AL/D/15	Aluminium	Daylight	6000K	4x1W	4x60lm	100-240V	⊕	20	Complete with driver
62401AL/W/15	Aluminium	Warm white	3000K	4x1W	4x45lm	100-240V	⊕	20	Complete with driver



Zoomable Moving Heads COB



12115G | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium Complete with honeycomb.

IP20

Zoomable Removable Honeycomb



12115G | 15W | COB LED | Adjustable beam 15°- 45° | Aluminium Complete with honeycomb.

IP20

Zoomable Removable Honeycomb

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12115G/W/W	White	Warm white	3000K	15W	1500lm	15°-45°	230V		40	Complete with 350mA driver
12115G/B/W	Black	Warm white	3000K	15W	1500lm	15°-45°	230V		40	Complete with 350mA driver

one



12108LA/W/W



65107/W/W

The COB Adjustable Display Spots




12108LA/W/W


12108LA | 8W | COB LED | Aluminium



IP20



12108LA/B/W



12208LA/W/W


12208LA | 2x8W | COB LED | Aluminium



IP20





12208LA/B/W



65107 | 7W | COB LED | Aluminium



IP20
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12108LA/W/W	White	Warm white	3000K	8W	600lm	25°	230V	⊕	24	Complete with 700mA driver
12108LA/B/W	Black	Warm white	3000K	8W	600lm	25°	230V	⊕	24	Complete with 700mA driver
12208LA/W/W	White	Warm white	3000K	2x8W	2x600lm	25°	230V	⊕	18	Complete with 2x700mA drivers
12208LA/B/W	Black	Warm white	3000K	2x8W	2x600lm	25°	230V	⊕	18	Complete with 2x700mA drivers
65107/W/W	White	Warm white	3000K	7W	594lm	35°	230V	⊞	12	Complete with 700mA driver

Decorative Wall & Ceiling

Natural aluminium



12101/AL/W



60010/AL/BL



60001/AL/BL




12101/AL/D

IP20
offer

12101 | 6x0,2W | LED | Natural aluminium + PC



CE 2 YEAR




12101/AL/W

IP20
offer

12101 | 6x0,2W | LED | Natural aluminium + PC



CE 2 YEAR




Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
12101/AL/D	Aluminium	Daylight	6000K	6x0,2W	230V		24	Complete with driver
12101/AL/W	Aluminium	Warm white	3000K	6x0,2W	230V		24	Complete with driver

one


Decorative Wall & Ceiling Natural aluminium



60001 | 3x0,2W | LED | Natural aluminium



60010 | 1W | LED | Natural aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class	Box	Notes
60001/AL/BL	Aluminium	Blue	-	6x0,2W	230V	⊥	100	Complete with driver
60010/AL/BL	Aluminium	Blue	-	1W	100-240V	⊥	100	Complete with driver


Other available colours: **60001/AL/GR** Green **60001/AL/R** Red




The Backlight Wall Range
Aluminium



67466A/B/W




67466B/B/W



67466C/B/W

one




67466C/W/W



67466B/B/W

The Backlight Wall Range Aluminium

67466A | 6W | SMD 2835 | Aluminium




67466A/W/W




IP20



67466A/B/W



67466B | 6W | SMD 2835 | Aluminium




67466B/W/W




IP20



67466B/B/W



67466C | 12W | SMD 2835 | Aluminium




67466C/W/W



IP20



67466C/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67466A/W/W	White	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466A/B/W	Black	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466B/W/W	White	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466B/B/W	Black	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466C/W/W	White	Warm white	3000K	12W	800lm	230V	⚡	12	Complete with 300mA driver
67466C/B/W	Black	Warm white	3000K	12W	800lm	230V	⚡	12	Complete with 300mA driver

The COB Indoor Round Cylinder



IP20

12110D | 10W | COB LED | Die cast



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
12110D/W/W	White	-	Warm white	3000K	10W	800lm	36°	230V	18	Complete with 500mA driver

one



12107KA/W/W + 050106/B




12107K/B/W + 050106/BS



12107K/W/W + 050106/W

The Chill Out LED Cylinders

Dimmable



12107K/B/W + 050106/BS


IP20

12107K | 7W | COB LED | Dimmable | Aluminium

Ring must be ordered separately.



12107K/W/W + 050106/B



12107KA/B/W + 050106/BS


IP20

12107KA | 7W | COB LED | Dimmable | Aluminium

Ring must be ordered separately.




12107KA/W/W + 050106/B



050106/W White



050106/B Black



050106/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12107K/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107K/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107KA/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107KA/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED

LED Decorative Cylinders




12115D/B/W

12115D/W/W

12115D | 15W | COB LED | Aluminium + plastic



12115D/W/W




12115D/B/W


IP20

12108T | 8W | COB LED | Die cast

Complete with black & brass reflectors.



12108T/W/W




12108T/B/W

DARK LIGHT


IP20

12112T | 12W | COB LED | Die cast

Complete with black & brass reflectors.



12112T/W/W



12112T/B/W

DARK LIGHT

IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
12115D/W/W	White	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12115D/B/W	Black	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12108T/W/W	White	Warm white	3000K	8W	720lm	36°	230V	⊕	30	Complete with 700mA driver
12108T/B/W	Black	Warm white	3000K	8W	720lm	36°	230V	⊕	30	Complete with 700mA driver
12112T/W/W	White	Warm white	3000K	12W	1080lm	36°	230V	⊕	20	Complete with 350mA driver
12112T/B/W	Black	Warm white	3000K	12W	1080lm	36°	230V	⊕	20	Complete with 350mA driver




LED Fashion Cylinders

12107V | 7W | LED | Dimmable | Aluminium




12107V/B/W

IP20



12107V/W/W



12108C | 8W | COB LED | Die cast




12108C/B/W

IP20



12108C/W/W



12122C | 22W | COB LED | Die cast




12122C/B/W

IP20



12122C/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12107V/W/W	White	Warm white	3000K	7W	500lm	40°	230V		20	AC LED
12107V/B/W	Black	Warm white	3000K	7W	500lm	40°	230V		20	AC LED
12108C/W/W	White	Warm white	3000K	8W	520lm	38°	230V		50	Complete with 700mA driver
12108C/B/W	Black	Warm white	3000K	8W	520lm	38°	230V		50	Complete with 700mA driver
12122C/W/W	White	Warm white	3000K	22W	1500lm	38°	230V		20	Complete with 500mA driver
12122C/B/W	Black	Warm white	3000K	22W	1500lm	38°	230V		20	Complete with 500mA driver

Dark Light Cylinders Tubes Aluminium



12122D/W/W + 050208/BS



12108D/BBS/W + 050206/B


12108D | 8W | COB LED | Aluminium

Reflector must be ordered separately.




12108D/W/W + 050206/W

LED BUILT IN
90 CRI
5 YEAR
DARK LIGHT
IP20



12108D/B/W + 050206/B



12108D | 8W | COB LED | Aluminium

Reflector must be ordered separately.




12108D/BBS/W + 050206/B

LED BUILT IN
90 CRI
5 YEAR
DARK LIGHT
IP20



12108D/MG/W + 050206/B



12108DB | 8W | LED | Backlit | Aluminium

Reflector must be ordered separately.




12108DB/W/W + 050206/B

LED BUILT IN
90 CRI
5 YEAR
DARK LIGHT
IP20



12108DB/B/W + 050206/BS



050206/W White



050206/B Black



050206/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108D/W/W	White	Warm white	3000K	8W	560lm	24°	230V		50	Complete with 700mA driver
12108D/B/W	Black	Warm white	3000K	8W	560lm	24°	230V		50	Complete with 700mA driver
12108D/BBS/W	Brushed brass	Warm white	3000K	8W	560lm	24°	230V		50	Complete with 700mA driver
12108D/MG/W	Metal grey	Warm white	3000K	8W	560lm	24°	230V		50	Complete with 700mA driver
12108DB/W/W	White	Warm white	3000K	8W	320+100lm	36°	230V		50	Complete with 700mA driver
12108DB/B/W	Black	Warm white	3000K	8W	320+100lm	36°	230V		50	Complete with 700mA driver


Dark Light Cylinders Tubes Aluminium





12122D/W/W + 050208/BS

12122D | 22W | COB LED | Aluminium

Reflector must be ordered separately.



12122D/B/W + 050208/B




12122D/BBS/W + 050208/B

12122D | 22W | COB LED | Aluminium

Reflector must be ordered separately.



12122D/MG/W + 050208/B



050208/W White




050208/B Black






050208/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
12122D/W/W	White	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver
12122D/B/W	Black	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver
12122D/BBS/W	Brushed brass	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver
12122D/MG/W	Metal grey	Warm white	3000K	22W	1540lm	24°	230V	⊕	20	Complete with 500mA driver




The Retro Dark Light Cylinders





12112Z | 12W | COB LED | Die cast + Plastic



12120Z | 20W | COB LED | Die cast + Plastic




12130Z | 30W | COB LED | Die cast + Plastic






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112Z/W/W	White	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12112Z/B/W	Black	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12120Z/W/W	White	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12120Z/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12130Z/W/W	White	Warm white	3000K	30W	2400lm	45°	230V		12	Complete with 700mA driver
12130Z/B/W	Black	Warm white	3000K	30W	2400lm	45°	230V		12	Complete with 700mA driver






The Retro Dark Light Cubes



12112ZA | 12W | COB LED | Die cast + Plastic



12120ZA | 20W | COB LED | Die cast + Plastic



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112ZA/W/W	White	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12112ZA/B/W	Black	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12120ZA/W/W	White	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12120ZA/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver

The Backlight Cylinders



12112A | 10W+2W | COB LED | Aluminium


Downlight + Uplight.



12112A/W/W

new
DARK LIGHT
IP20

LED BUILT IN
90 CRI
CE
3 YEAR



12112A/B/W



85mm I

102mm



12120A | 18W+2W | COB LED | Aluminium


Downlight + Uplight.



12120A/W/W

new
DARK LIGHT
IP20

LED BUILT IN
90 CRI
CE
3 YEAR



12120A/B/W



110mm I

116mm



12128A | 26W+2W | COB LED | Aluminium


Downlight + Uplight.



12128A/W/W

new
DARK LIGHT
IP20

LED BUILT IN
90 CRI
CE
3 YEAR



12128A/B/W



115mm I

130mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
12112A/W/W	White	Warm white	3000K	10W+2W	1000lm	60°	230V	📉	40	Complete with 300mA driver
12112A/B/W	Black	Warm white	3000K	10W+2W	1000lm	60°	230V	📉	40	Complete with 300mA driver
12120A/W/W	White	Warm white	3000K	18W+2W	1800lm	60°	230V	📉	30	Complete with 500mA driver
12120A/B/W	Black	Warm white	3000K	18W+2W	1800lm	60°	230V	📉	30	Complete with 500mA driver
12128A/W/W	White	Warm white	3000K	26W+2W	2600lm	60°	230V	📉	20	Complete with 700mA driver
12128A/B/W	Black	Warm white	3000K	26W+2W	2600lm	60°	230V	📉	20	Complete with 700mA driver

The PRO Cylinders Range



12120F/B/W



12115F/W/W




12112A/W/W



12115F/W/W


12115F | 15W | COB LED | Die cast



12115F/B/W



0750A/15 (15°)
0750A/24 (24°)



12120F/W/W


12120F | 20W | COB LED | Die cast



12120F/B/W



0750B/15 (15°)
0750B/24 (24°)





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12115F/W/W	White	Warm white	3000K	15W	1800lm	38°	230V	⚡	20	Complete with 350mA driver
12115F/B/W	Black	Warm white	3000K	15W	1800lm	38°	230V	⚡	20	Complete with 350mA driver
12120F/W/W	White	Warm white	3000K	20W	2400lm	38°	230V	⚡	10	Complete with 450mA driver
12120F/B/W	Black	Warm white	3000K	20W	2400lm	38°	230V	⚡	10	Complete with 450mA driver





The Dark Light Mirror Cylinders Aluminium



12106X | 6W | SMD 3030 | Aluminium



12112X | 12W | SMD 3030 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12106X/W/W	White	Warm white	3000K	6W	480lm	38°	230V		40	Complete with 150mA driver
12106X/B/W	Black	Warm white	3000K	6W	480lm	38°	230V		40	Complete with 150mA driver
12112X/W/W	White	Warm white	3000K	12W	960lm	38°	230V		40	Complete with 300mA driver
12112X/B/W	Black	Warm white	3000K	12W	960lm	38°	230V		40	Complete with 300mA driver



12106X/W/W

12120X/B/W


12124X/B/W

The Dark Light Mirror Cylinders Aluminium




12120X/W/W

12120X | 20W | SMD 3030 | Aluminium



12120X/B/W




12124X/W/W

12124X | 24W | SMD 3030 | Aluminium



12124X/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12120X/W/W	White	Warm white	3000K	20W	1600lm	38°	230V		30	Complete with 450mA driver
12120X/B/W	Black	Warm white	3000K	20W	1600lm	38°	230V		30	Complete with 450mA driver
12124X/W/W	White	Warm white	3000K	24W	1900lm	38°	230V		20	Complete with 600mA driver
12124X/B/W	Black	Warm white	3000K	24W	1900lm	38°	230V		20	Complete with 600mA driver



The Dark Light Ceiling Lights Aluminium


12110H | 10W | SMD 3535 | Aluminium



12110H/B/W



12110H/W/W




12110HB | 10W | SMD 3535 | Aluminium



12110HB/B/W



12110HB/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110H/W/W	White	Warm white	3000K	10W	700lm	38°	230V		30	Complete with 700mA driver
12110H/B/W	Black	Warm white	3000K	10W	700lm	38°	230V		30	Complete with 700mA driver
12110HB/W/W	White	Warm white	3000K	10W	700lm	38°	230V		30	Complete with 700mA driver
12110HB/B/W	Black	Warm white	3000K	10W	700lm	38°	230V		30	Complete with 700mA driver



12110HB/W/W



12112H/B/W

The Dark Light Ceiling Lights Aluminium




12112H/B/W

12112H | 12W | SMD 3535 | Aluminium



12112H/W/W




12124H/B/W

12124H | 24W | SMD 3535 | Aluminium



12124H/W/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12112H/W/W	White	Warm white	3000K	12W	840lm	38°	230V	⊕	40	Complete with 700mA driver
12112H/B/W	Black	Warm white	3000K	12W	840lm	38°	230V	⊕	40	Complete with 700mA driver
12124H/W/W	White	Warm white	3000K	24W	1700lm	38°	230V	⊕	30	Complete with 700mA driver
12124H/B/W	Black	Warm white	3000K	24W	1700lm	38°	230V	⊕	30	Complete with 700mA driver



Surface Shop Square Boxes Aluminium




12107B | 7W | COB LED | Dimmable | Aluminium



IP20




12207B | 2x7W | COB LED | Aluminium



IP20



12307B | 3x7W | COB LED | Aluminium



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	☒	Notes
12107B/W/W	White	Warm white	3000K	7W	550lm	36°	230V	⊕	36	Complete with 350mA driver
12207B/W/W	White	Warm white	3000K	2x7W	1100lm	36°	100-240V	⊕	24	Complete with 350mA driver
12307B/W/W	White	Warm white	3000K	3x7W	1650lm	36°	100-240V	⊕	12	Complete with 350mA driver





12110HA/W/W

12115HA/W/W


Dark Light Pro Cubes Aluminium




12110HA | 10W | COB LED | Aluminium



12115HA | 15W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110HA/W/W	White	Warm white	3000K	10W	800lm	60°	230V		48	Complete with 250mA driver
12115HA/W/W	White	Warm white	3000K	15W	1200lm	60°	230V		48	Complete with 350mA driver




Mirror Square Boxes

12106B | 6W | COB LED | Aluminium




12106B/W/W

IP20



12106B/B/W




12406B | 15W | COB LED | Aluminium




12406B/W/W

IP20



12406B/B/W




12906B | 30W | COB LED | Aluminium




12906B/W/W

IP20



12906B/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12106B/W/W	White	Warm white	3000K	6W	480lm	38°	230V		60	Complete with 120mA driver
12106B/B/W	Black	Warm white	3000K	6W	480lm	38°	230V		60	Complete with 120mA driver
12406B/W/W	White	Warm white	3000K	15W	1200lm	38°	230V		30	Complete with 350mA driver
12406B/B/W	Black	Warm white	3000K	15W	1200lm	38°	230V		30	Complete with 350mA driver
12906B/W/W	White	Warm white	3000K	30W	2400lm	38°	230V		12	Complete with 700mA driver
12906B/B/W	Black	Warm white	3000K	30W	2400lm	38°	230V		12	Complete with 700mA driver





Dark Light Ceiling Tubes





12406C | 10W | SMD 3535 | Aluminium

DARK LIGHT
 IP20





12606C | 15W | SMD 3535 | Aluminium

DARK LIGHT
 IP20




12906C | 20W | SMD 3535 | Aluminium

DARK LIGHT
 IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12406C/W/W	White	Warm white	3000K	10W	800lm	25°	230V		40	Complete with 700mA driver
12406C/B/W	Black	Warm white	3000K	10W	800lm	25°	230V		40	Complete with 700mA driver
12606C/W/W	White	Warm white	3000K	15W	1200lm	25°	230V		30	Complete with 700mA driver
12606C/B/W	Black	Warm white	3000K	15W	1200lm	25°	230V		30	Complete with 700mA driver
12906C/W/W	White	Warm white	3000K	20W	1600lm	25°	230V		20	Complete with 700mA driver
12906C/B/W	Black	Warm white	3000K	20W	1600lm	25°	230V		20	Complete with 700mA driver


Adjustable COB Ceiling Lights



12108X | 8W | COB LED | Dimmable | Aluminium





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Package	Notes
12108X/W/W	White	Warm white	3000K	8W	640lm	36°	230V	Class II	36	Complete with 350mA dimmable driver




Adjustable COB Ceiling Lights



12108XA | 8W | COB LED | Dimmable | Aluminium




12208XA | 2x8W | COB LED | Dimmable | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Icon	Notes
12108XA/W/W	White	Warm white	3000K	8W	640lm	36°	230V	⊕	36	Complete with 350mA dimmable driver
12208XA/W/W	White	Warm white	3000K	2x8W	2x640lm	36°	230V	⊕	24	Complete with 350mA dimmable driver

The SMD Cylinders

Aluminium




12115L | 15W | SMD LED | Aluminium



IP40




12125L | 25W | SMD LED | Aluminium



IP40



12135L | 35W | SMD LED | Aluminium



IP40

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12115L/B/W	Black	Warm white	3000K	15W	1280lm	230V		36	Complete with 350mA driver
12125L/W/W	White	Warm white	3000K	25W	2050lm	230V		36	Complete with 600mA driver
12135L/W/W	White	Warm white	3000K	35W	3000lm	230V		12	Complete with 800mA driver

The SMD Cylinders Aluminium



12112D/W/V


12112D | 12W | SMD LED | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 5 YEAR
 UGR19

new
IP44



12112D/B/V



12120D/W/V



12120D | 20W | SMD LED | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 5 YEAR
 UGR19

new
IP44



12120D/B/V



12125D/W/V



12125D | 25W | SMD LED | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 5 YEAR
 UGR19

new
IP44



12125D/B/V



12130D/W/V


12130D | 30W | SMD LED | Aluminium

LED BUILT IN
 90 CRI
 CCT V
 CE
 5 YEAR
 UGR19


new
IP44



12130D/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112D/W/V	White	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V		30	Complete with 300mA driver
12112D/B/V	Black	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V		30	Complete with 300mA driver
12120D/W/V	White	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V		30	Complete with 500mA driver
12120D/B/V	Black	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V		30	Complete with 500mA driver
12125D/W/V	White	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V		20	Complete with 650mA driver
12125D/B/V	Black	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V		20	Complete with 650mA driver
12130D/W/V	White	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V		12	Complete with 750mA driver
12130D/B/V	Black	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V		12	Complete with 750mA driver



12108FD/W/W


12116FD/W/W

The Hidden Light Cylinders Range





12108FD/W/W

12108FD | 8W | SMD 2835 | Die cast




12108FD/B/BS

12108FD | 8W | SMD 2835 | Die cast





12116FD/W/W

12116FD | 16W | SMD 2835 | Die cast



12116FD/B/BS

12116FD | 16W | SMD 2835 | Die cast



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12108FD/W/W	White	White	Warm white	3000K	8W	560lm	230V		36	Complete with 300mA driver
12108FD/B/BS	Black	Brass	Warm white	3000K	8W	400lm	230V		36	Complete with 300mA driver
12116FD/W/W	White	White	Warm white	3000K	16W	1100lm	230V		20	Complete with 300mA driver
12116FD/B/BS	Black	Brass	Warm white	3000K	16W	800lm	230V		20	Complete with 300mA driver





The COB LED Indoor Cylinder Aluminium



12130LA | 30W | COB LED | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
12130LA/W/W	White	Warm white	3000K	30W	2500lm	50°	230V	⊞	12	Complete with 700mA driver




COB Outdoor Ceiling Cylinders



67380 | 10W | COB LED | Aluminium





IP54



67380A | 25W | COB LED | Die cast



IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67380/W/W	White	Warm white	3000K	10W	730lm	60°	230V		24	Complete with 230mA driver
67380A/W/W	White	Warm white	3000K	25W	1800lm	60°	230V		12	Complete with 600mA driver




COB Outdoor Ceiling Cylinders



67516A | 15W | COB LED | Aluminium



67516C | 40W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
67516A/W/W	White	Warm white	3000K	15W	1200lm	40°	230V	⊕	24	Complete with 350mA driver
67516C/W/W	White	Warm white	3000K	40W	3200lm	40°	230V	⊕	6	Complete with 1000mA driver



Outdoor Ceiling Cylinders


Die cast



67138E/G/D | 6x1W | LED | Die cast




IP54
offer



67138C | 6x1W | LED | Die cast



IP54
offer



67138C/G/D


67138C/G/W



67138D | 6x1W | LED | Die cast



IP54
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67138E/G/D	Grey	Daylight	6000K	6x1W	440lm	230V	⊕	12	Complete with driver
67138C/G/D	Grey	Daylight	6000K	6x1W	440lm	230V	⊕	12	Complete with driver
67138C/G/W	Grey	Warm white	3000K	6x1W	440lm	230V	⊕	12	Complete with driver
67138D/G/D	Grey	Daylight	6000K	6x1W	440lm	230V	⊕	12	Complete with driver



67138C/B/W

67138D/G/W

Outdoor Ceiling Cylinders

Die cast



67138C/W/W

67138C | 6W | COB LED | Die cast




IP54



67138C/AN/W



67138C/B/W



67138D/AN/W

67138D | 6W | COB LED | Die cast




IP54



67138D/B/W



67138D/G/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
67138C/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver
67138C/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver
67138C/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver
67138D/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver
67138D/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver
67138D/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⊕	18	Complete with 500mA driver

Outdoor Wall Cylinders Down beam




67138E/W/W

67138E | 6W | COB LED | Die cast

LED BUILT IN
80 CRI CE 2 YEAR

IP54





67138E/AN/W

67138E | 6W | COB LED | Die cast

LED BUILT IN
80 CRI CE 2 YEAR

IP54




67138E/B/W

67138E | 6W | COB LED | Die cast

LED BUILT IN
80 CRI CE 2 YEAR

IP54





67138E/G/W

67138E | 6W | COB LED | Die cast

LED BUILT IN
80 CRI CE 2 YEAR


IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Notes
67138E/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V	⊕	Complete with 500mA driver
67138E/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⊕	Complete with 500mA driver
67138E/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⊕	Complete with 500mA driver
67138E/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⊕	Complete with 500mA driver




67138F/AN/W



67138E/W/W

Outdoor Wall Cylinders

Down beam




67138F/AN/W

67138F | 6W | COB LED | Die cast

80 CRI

2 YEAR



IP54




67138F/G/W

67138F | 6W | COB LED | Die cast

80 CRI

2 YEAR



IP54

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138F/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver
67138F/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver



Outdoor Wall Cylinders Up & down beam



67138/AN/W

67138 | 2x6W | COB LED | Die cast

LED BUILT IN
80 CRI
CE
2 YEAR

IP54




67138/W/W



67138/B/W



67138/G/W



67138A/AN/W

67138A | 2x6W | COB LED | Die cast

LED BUILT IN
80 CRI
CE
2 YEAR


IP54



67138A/W/W



67138A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
67138/W/W	White	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/G/W	Grey	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/W/W	White	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver

Outdoor Wall Cylinders High Power




67138EL/AN/C

IP65

67138EL | 20W | COB LED | Die cast



67138EL/AN/W




67138L/AN/C

IP65

67138L | 2x20W | COB LED | Die cast



67138L/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
67138EL/AN/C	Anthracite	Cool white	4000K	20W	1400lm	35°	230V	⊕	4	AC LED
67138EL/AN/W	Anthracite	Warm white	3000K	20W	1400lm	35°	230V	⊕	4	AC LED
67138L/AN/C	Anthracite	Cool white	4000K	2x20W	2x1400lm	35°	230V	⊕	2	AC LED
67138L/AN/W	Anthracite	Warm white	3000K	2x20W	2x1400lm	35°	230V	⊕	2	AC LED



Indoor/Outdoor Wall Lights

Die cast



67480A | 6W | COB LED | Die cast



80 CRI

IK⁰⁶

CE

2 YEAR

IP65



67480B | 2x6W | COB LED | Die cast


80 CRI

IK⁰⁶

CE

2 YEAR

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67480A/AN/W	Anthracite	Warm white	3000K	6W	480lm	230V		8	Complete with 500mA driver
67480B/AN/W	Anthracite	Warm white	3000K	2x6W	960lm	230V		8	Complete with 500mA driver



67524A/AN/W



67524B/AN/W


The Cube Wall Lights

Die cast




67524A/AN/W

67524A | 6W | COB LED | Die cast



67524A/W/W




67524B/AN/W

67524B | 2x6W | COB LED | Die cast



67524B/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67524A/W/W	White	Warm white	3000K	6W	500lm	36°	230V		12	Complete with 500mA driver
67524A/AN/W	Anthracite	Warm white	3000K	6W	500lm	36°	230V		12	Complete with 500mA driver
67524B/W/W	White	Warm white	3000K	2x6W	1000lm	36°	230V		12	Complete with 500mA driver
67524B/AN/W	Anthracite	Warm white	3000K	2x6W	1000lm	36°	230V		12	Complete with 500mA driver




Wall Adjustable Beams



67440 | 9W | SMD 2835 | Adjustable beam | Die cast




IP54



67440A | 11W | SMD 2835 | Adjustable beam | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67440/W/W	White	Warm white	3000K	9W	600lm	230V	⚡	8	Complete with 350mA driver
67440/AN/W	Anthracite	Warm white	3000K	9W	600lm	230V	⚡	8	Complete with 350mA driver
67440A/AN/W	Anthracite	Warm white	3000K	11W	700lm	230V	⚡	8	Complete with 350mA driver



67076A/B/W



67076/W/W

The Glass Face Wall Lights




67076/W/W

67076 | 4W | SMD LED | Glass + metal



67076/B/W




67076A/W/W

67076A | 5W | SMD LED | Glass + metal



67076A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67076/W/W	White	Warm white	3000K	4W	300lm	230V	⊕	12	AC LED
67076/B/W	Black	Warm white	3000K	4W	300lm	230V	⊕	12	AC LED
67076A/W/W	White	Warm white	3000K	5W	350lm	230V	⊕	12	AC LED
67076A/B/W	Black	Warm white	3000K	5W	350lm	230V	⊕	12	AC LED

one



67374A/W/W



67374/AN/W


Outdoor Wall Up & Down Lights

Die cast



67374/W/W

67374 | 2x3W | SMD 2835 | Die cast




IP54



67374/AN/W

67374 | 2x3W | SMD 2835 | Die cast




IP54



67374A/W/W

67374A | 2x6W | SMD 2835 | Die cast




IP54



67374A/AN/W

67374A | 2x6W | SMD 2835 | Die cast



IP54

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67374/W/W	White	Warm white	3000K	2x3W	2x210lm	230V		24	Complete with 350mA driver
67374/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V		24	Complete with 350mA driver
67374A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V		12	Complete with 300mA driver
67374A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V		12	Complete with 300mA driver



Outdoor Wall Lights





67492 | 12W | SMD 2835 | Plastic + PC







IP54





67492P | 12W | SMD 2835 | Sensor | Plastic + PC












IP54

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67492/AN/W	Anthracite	Warm white	3000K	12W	600lm	230V		12	Complete with 300mA driver
67492P/AN/W	Anthracite	Warm white	3000K	12W	600lm	230V		12	Complete with 300mA driver




Outdoor Wall Up & Down Light



67474A | 10W | LED | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67474A/AN/W	Anthracite	Warm white	3000K	10W	700lm	230V	⊕	12	AC LED



67474A/AN/W

Outdoor Wall Up & Down Lights




67362C/W/W

67362C | 2x4,5W | SMD 3014 | Die cast



IP54




67362C/AN/W

67362C | 2x4,5W | SMD 3014 | Die cast



IP54




67392/W/W

67392 | 7W | SMD 2835 | ABS + PC



IP65




67392/AN/W

67392 | 7W | SMD 2835 | ABS + PC



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67362C/W/W	White	Warm white	3000K	2x4,5W	2x315lm	230V	⊕	12	Complete with 350mA driver
67362C/AN/W	Anthracite	Warm white	3000K	2x4,5W	2x315lm	230V	⊕	12	Complete with 350mA driver
67392/W/W	White	Warm white	3000K	7W	400lm	230V	⊖	20	Complete with 500mA driver
67392/AN/W	Anthracite	Warm white	3000K	7W	400lm	230V	⊖	20	Complete with 500mA driver

Linear Outdoor Series

Double Sided


67526B1 | 2x6W | SMD 3030 | Die cast



2 YEAR



67526B1/AN/W




67526B2 | 2x10W | SMD 3030 | Die cast



2 YEAR



67526B2/AN/W




67526B3 | 2x13W | SMD 3030 | Die cast



2 YEAR



67526B3/AN/W




67526B1/W/W


67526B2/W/W

67526B3/W/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526B1/W/W	White	Warm white	3000K	2x6W	720lm	230V		12	Complete with 300mA driver
67526B1/AN/W	Anthracite	Warm white	3000K	2x6W	720lm	230V		12	Complete with 300mA driver
67526B2/W/W	White	Warm white	3000K	2x10W	1200lm	230V		6	Complete with 500mA driver
67526B2/AN/W	Anthracite	Warm white	3000K	2x10W	1200lm	230V		6	Complete with 500mA driver
67526B3/W/W	White	Warm white	3000K	2x13W	1560lm	230V		4	Complete with 700mA driver
67526B3/AN/W	Anthracite	Warm white	3000K	2x13W	1560lm	230V		4	Complete with 700mA driver



67526A1/W/W



67526A1/AN/W


Linear Outdoor Series

Single Sided




67526A1/W/W

67526A1 | 8W | SMD 3030 | Die cast




67526A1/AN/W




67526A2/W/W

67526A2 | 9W | SMD 3030 | Die cast



67526A2/AN/W




67526A3/W/W

67526A3 | 13W | SMD 3030 | Die cast



67526A3/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526A1/W/W	White	Warm white	3000K	8W	480lm	230V		12	Complete with 350mA driver
67526A1/AN/W	Anthracite	Warm white	3000K	8W	480lm	230V		12	Complete with 350mA driver
67526A2/W/W	White	Warm white	3000K	9W	540lm	230V		6	Complete with 500mA driver
67526A2/AN/W	Anthracite	Warm white	3000K	9W	540lm	230V		6	Complete with 500mA driver
67526A3/W/W	White	Warm white	3000K	13W	780lm	230V		4	Complete with 700mA driver
67526A3/AN/W	Anthracite	Warm white	3000K	13W	780lm	230V		4	Complete with 700mA driver

Outdoor General Lighting


ABS + PC



67394A | 3,5W | SMD 2835 | ABS + PC



IP65



67394/W/W


67394 | 3,5W | SMD 2835 | ABS + PC



IP65





67394/AN/W



67364 | 8W | SMD LED | Die cast + PC



IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67394A/AN/W	Anthracite	Warm white	3000K	3,5W	250lm	230V	☐	40	AC LED
67394/W/W	White	Warm white	3000K	3,5W	250lm	230V	☐	24	AC LED
67394/AN/W	Anthracite	Warm white	3000K	3,5W	250lm	230V	☐	24	AC LED
67364/G/W	Grey	Warm white	3000K	8W	450lm	230V	⊕	8	Photocell



Indoor/Outdoor Wall Lights


ABS + PC




67472A | 6W | SMD 2835 | ABS + PC

80 CRI

2 YEAR




IP65



67472 | 2x6W | SMD 2835 | ABS + PC

80 CRI

2 YEAR



IP65

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67472A/AN/W	Anthracite	Warm white	3000K	6W	500lm	230V		20	Complete with 300mA driver
67472/AN/W	Anthracite	Warm white	3000K	2x6W	2x500lm	230V		20	Complete with 300mA driver

Outdoor Slim Oval Range

Up & down beam




67378A | 2x6W | SMD 2835 | Die cast



80 CRI | CE | 2 YEAR

IP54




67378A | 2x6W | SMD 2835 | Die cast



80 CRI | CE | 2 YEAR

IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67378A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V		12	Complete with 300mA driver
67378A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V		12	Complete with 300mA driver



67378A/AN/W



67376A/W/W

Outdoor Slim Range

Up & down beam



67376/AN/W


67376 | 2x3W | SMD 2835 | Die cast



IP54



67376/W/W



67376A/AN/W


67376A | 2x6W | SMD 2835 | Die cast



IP54



67376A/W/W



67412/AN/W


67412 | 2x6W | COB LED | Adjustable beam | Die cast



IP54



67412/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67376/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67376/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67376A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67376A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67412/W/W	White	Warm white	3000K	2x6W	2x400lm	230V	⊕	12	Complete with 500mA driver
67412/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V	⊕	12	Complete with 500mA driver

one

Adjustable Beams

Indoor / Outdoor




67340A | 2x3W | LED | Adjustable beam | Die cast

80 CRI

2 YEAR

IP54




67340A | 2x3W | LED | Adjustable beam | Die cast

80 CRI

2 YEAR

IP54




67340A | 2x3W | LED | Adjustable beam | Die cast

80 CRI

2 YEAR

IP54




67354 | 2x3W | LED | Die cast

80 CRI


2 YEAR

IP54
offer





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67340A/W/W	White	Warm white	3000K	2x3W	2x210lm	230V		8	Complete with 700mA driver
67340A/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V		8	Complete with 700mA driver
67340A/G/W	Grey	Warm white	3000K	2x3W	2x210lm	230V		8	Complete with 700mA driver
67354/G/W	Grey	Warm white	3000K	2x3W	182lm	100-240V		12	Complete with driver



Outdoor Wall Dark Lights Die cast






67398 | 3W | COB LED | Die cast



67398A | 2x3W | LED | Die cast




67398C | 2x3W | LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67398/W/W	White	Warm white	3000K	3W	200lm	100-240V	⊕	24	Complete with 350mA driver
67398/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⊕	24	Complete with 350mA driver
67398A/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	12	Complete with 350mA driver
67398A/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	12	Complete with 350mA driver
67398A/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	12	Complete with 350mA driver
67398C/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	18	Complete with 350mA driver
67398C/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	18	Complete with 350mA driver
67398C/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⊕	18	Complete with 350mA driver



The Backlight Range



67450 | 7W | SMD 2835 | ABS + PC

LED BUILT IN

80 CRI

IK08

CE

2 YEAR



67532 | 15W | SMD 2835 | Dimmable | Aluminium + PC

LED BUILT IN




80 CRI

TRIAC DIMMABLE

IK06

CE

2 YEAR



67450A | 7W | SMD 2835 | ABS + PC



LED BUILT IN

80 CRI

IK08

CE

2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67450/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67532/W/W	White	Warm white	3000K	15W	1100lm	230V		12	Complete with 190mA dimmable driver
67532/B/W	Black	Warm white	3000K	15W	1100lm	230V		12	Complete with 190mA dimmable driver
67450A/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450A/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver




The Roof Tile Range

67422 | 6W | COB LED | Die cast




67422/W/W

IP54



67422/AN/W




67422A | 2x6W | COB LED | Die cast




67422A/W/W

IP54



67422A/AN/W




67512 | 8W | SMD 2835 | ABS + PC




67512/W/W

IP65




67512/AN/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67422/W/W	White	Warm white	3000K	6W	400lm	230V	Ⓛ	24	Complete with 500mA driver
67422/AN/W	Anthracite	Warm white	3000K	6W	400lm	230V	Ⓛ	24	Complete with 500mA driver
67422A/W/W	White	Warm white	3000K	2x6W	2x400lm	230V	Ⓛ	12	Complete with 500mA driver
67422A/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V	Ⓛ	12	Complete with 500mA driver
67512/W/W	White	Warm white	3000K	8W	400lm	230V	Ⓛ	20	Complete with 200mA driver
67512/AN/W	Anthracite	Warm white	3000K	8W	400lm	230V	Ⓛ	20	Complete with 200mA driver

Outdoor Wall Light



Die cast



67124/G/BL



67124 | 2x1W | LED | Die cast




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67124/G/BL	Grey	Blue	-	2x1W	-	230V	□	18	Complete with driver

Indoor/Outdoor Wall Lines

Die cast



67170 | 3W | LED | Die cast



Order Code	Colour	Light Colour	Watts	Input	Class		Notes
67170/G/BL	Grey	Blue	3W	100-240V	⊕	40	Complete with driver

Down Illumination Wall Lights

ABS + PC




67386A/W/W

67386A | 1,5W | SMD 2835 | ABS + PC



67386A/AN/W




67386C/W/W

67386C | 4W | SMD 2835 | ABS + PC




67386C/AN/W





67396/W/W

67396 | 6W | SMD 2835 | ABS + PC




67396/AN/W




67396A/W/W

67396A | 6W | SMD 2835 | Sensor | ABS + PC




67396A/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67386A/W/W	White	Warm white	3000K	1,5W	80lm	230V	□	40	AC LED
67386A/AN/W	Anthracite	Warm white	3000K	1,5W	80lm	230V	□	40	AC LED
67386C/W/W	White	Warm white	3000K	4W	220lm	230V	□	20	AC LED
67386C/AN/W	Anthracite	Warm white	3000K	4W	220lm	230V	□	20	AC LED
67396/W/W	White	Warm white	3000K	6W	300lm	230V	□	20	AC LED
67396/AN/W	Anthracite	Warm white	3000K	6W	300lm	230V	□	20	AC LED
67396A/W/W	White	Warm white	3000K	6W	300lm	230V	□	20	AC LED
67396A/AN/W	Anthracite	Warm white	3000K	6W	300lm	230V	□	20	AC LED

Outdoor Dark Lights

ABS + PC




67388B/W/W

67388B | 2W | SMD 2835 | ABS + PC




80 CRI IK08 CE

2 YEAR



80 CRI IK08 CE

2 YEAR




67388C | 2W | SMD 2835 | ABS + PC




80 CRI IK08 CE


2 YEAR



67388C | 2W | SMD 2835 | ABS + PC



67388C/W/W




67388C/AN/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67388B/W/W	White	Warm white	3000K	2W	60lm	230V	□	40	AC LED
67388C/W/W	White	Warm white	3000K	2W	75lm	230V	□	24	AC LED
67388C/AN/W	Anthracite	Warm white	3000K	2W	75lm	230V	□	24	AC LED



Round Indoor/Outdoor Wall Dark Lights




Die cast



67359 | 3W | SMD 2835 | Die cast

LED BUILT IN
80 CRI CE 2 YEAR


DARK LIGHT
IP54



67360 | 9W | SMD 2835 | Die cast

LED BUILT IN
80 CRI CE 2 YEAR

DARK LIGHT
IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67359/W/W	White	Warm white	3000K	3W	200lm	100-240V	⊥	30	Complete with 350mA driver
67359/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⊥	30	Complete with 350mA driver
67360/W/W	White	Warm white	3000K	9W	350lm	230V	⊥	12	Complete with 700mA driver
67360/AN/W	Anthracite	Warm white	3000K	9W	350lm	230V	⊥	12	Complete with 700mA driver

one



Square Indoor/Outdoor Wall Dark Lights


Die cast

67359A | 4W | SMD 2835 | Die cast



DARK LIGHT
IP54

LED BUILT IN
80 CRI
CE
2 YEAR




67360A | 9W | SMD 2835 | Die cast



DARK LIGHT
IP54

LED BUILT IN
80 CRI
CE
2 YEAR




67359B | 7W | SMD 2835 | Die cast



DARK LIGHT
IP54

LED BUILT IN
80 CRI
CE
2 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67359A/W/W	White	Warm white	3000K	4W	200lm	100-240V	⊕	30	Complete with 350mA driver
67359A/AN/W	Anthracite	Warm white	3000K	4W	200lm	100-240V	⊕	30	Complete with 350mA driver
67360A/W/W	White	Warm white	3000K	9W	450lm	230V	⊕	12	Complete with 700mA driver
67360A/AN/W	Anthracite	Warm white	3000K	9W	450lm	230V	⊕	12	Complete with 700mA driver
67359B/W/W	White	Warm white	3000K	7W	400lm	230V	⊕	24	Complete with 350mA driver
67359B/AN/W	Anthracite	Warm white	3000K	7W	400lm	230V	⊕	24	Complete with 350mA driver




Outdoor Dark Lights



67430A | 8W | SMD 2835 | ABS + PC



67430A | 8W | SMD 2835 | ABS + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Icons	Notes
67430A/W/W	White	Warm white	3000K	8W	350lm	230V	□	20	Complete with 300mA driver
67430A/AN/W	Anthracite	Warm white	3000K	8W	350lm	230V	□	20	Complete with 300mA driver




67418/W/W




67414/AN/W

Outdoor Dark Lights




67414/W/W

67414 | 3W | SMD 2835 | ABS + PC



67414/AN/W




67417/W/W

67417 | 1,5W | SMD 2835 | ABS + PC




67417/AN/W



67418/W/W

67418 | 3W | SMD 2835 | ABS + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67414/W/W	White	Warm white	3000K	3W	100lm	230V		20	AC LED
67414/AN/W	Anthracite	Warm white	3000K	3W	100lm	230V		20	AC LED
67417/W/W	White	Warm white	3000K	1.5W	40lm	230V		40	AC LED
67417/AN/W	Anthracite	Warm white	3000K	1.5W	40lm	230V		40	AC LED
67418/W/W	White	Warm white	3000K	3W	100lm	230V		40	AC LED


Outdoor Wall Bricks

Die cast

67174/G/D



67176/G/W



67174 | 3W | LED | Die cast




IP54



67176 | 3W | LED | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67174/G/D	Grey	Daylight	6000K	3W	230V		12	Complete with driver
67176/G/W	Grey	Warm white	3000K	3W	230V		12	Complete with driver

Outdoor Wall Bricks


ABS + PC



67502A | 6W | SMD 2835 | ABS + PC

LED BUILT IN
80 CRI
CE
2 YEAR



DARK LIGHT
IP65



67502B | 6W | SMD 2835 | ABS + PC

LED BUILT IN
80 CRI
CE
2 YEAR



DARK LIGHT
IP65



67502C | 6W | SMD 2835 | ABS + PC

LED BUILT IN
80 CRI
CE
2 YEAR

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67502A/W/W	White	Warm white	3000K	6W	120lm	230V	□	20	AC LED
67502B/W/W	White	Warm white	3000K	6W	110lm	230V	□	20	AAC LED
67502C/W/W	White	Warm white	3000K	6W	330lm	230V	□	20	AC LED

The Classic Outdoor Range

Die cast



67442B/B/W



67444C/B/W




IP54

67444C | 10W | SMD 2835 | Die cast



80 CRI CE 2 YEAR




IP54

67442B | 10W | SMD 2835 | Die cast



80 CRI CE 2 YEAR




67442/W/W

IP54

67442 | 10W | SMD 2835 | Die cast



80 CRI CE 2 YEAR




67442/B/W

IP54

67442 | 10W | SMD 2835 | Die cast




80 CRI CE 2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67444C/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442B/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED




The Cage Wall/Ceiling Light



67420AL | 7W | SMD 2835 | Die cast + frosted glass



IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⊞	Notes
67420AL/AN/W	Anthracite	Warm white	3000K	7W	300lm	230V	⊞	6	Complete with 350mA driver





Indoor/Outdoor Light Points



67484 | 6W | LED | Dimmable | Die cast




IP65



67478 | 12W | SMD 2835 | Die cast + PC




DARK LIGHT
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67484/W/W	White	Warm white	3000K	6W	480lm	230V		12	AC LED
67484/B/W	Black	Warm white	3000K	6W	480lm	230V		12	AC LED
67478/W/W	White	Warm white	3000K	12W	325lm	230V		6	Complete with 300mA driver
67478/B/W	Black	Warm white	3000K	12W	325lm	230V		6	Complete with 300mA driver

Outdoor Wall Lights




67336 | 2x1W | LED | Natural aluminium

IP54
offer




67242 | 3W | LED | Die cast

DARK LIGHT
IP54
offer



67126 | 1,5W | LED | Die cast

IP54
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⊞	Notes
67336/AL/W	Aluminium	Warm white	3000K	2x1W	130lm	100-240V	⊞	20	Complete with driver
67242/G/D	Grey	Daylight	6000K	3W	-	100-240V	⊞	30	Complete with driver
67126/G/BL	Grey	Blue	-	1,5W	-	230V	⊞	30	Complete with driver