





Multi LED Slim Plafo

64004/G/C



64002/G/C



64002 | 7W | LED | Die cast

DARK LIGHT
IP20
offer



LED BUILT IN
CE 2 YEAR



64004 | 16W | LED | Die cast

DARK LIGHT
IP20
offer


LED BUILT IN
CE 2 YEAR



64010 | 17W | LED | Die cast

DARK LIGHT
IP20
offer

LED BUILT IN
CE 2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
64002/G/C	Grey	Cool white	4000K	7W	400lm	230V	□	Complete with driver
64004/G/C	Grey	Cool white	4000K	16W	860lm	230V	□	Complete with driver
64010/G/C	Grey	Cool white	4000K	17W	1100lm	230V	□	Complete with driver



62104/MC




62102/MC

Square LED Plafo Steel




62102 | 17W | SMD LED | Steel



IP20
offer



62104 | 30W | SMD LED | Steel



IP20
offer

Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62102/MC	Brushed chrome	Warm white	3000K	17W	230V		5	Complete with 700mA driver
62104/MC	Brushed chrome	Warm white	3000K	30W	230V		4	Complete with 700mA driver

Decorative LED Plafo

Metal + PC



62010/G/OR



62010A/G/V



62010/G/OR

62010 | 11W | LED | Metal + PC



offer




IP20

offer



62010/G/V






62010A | 31W | LED | Metal + PC



IP20

offer




62014 | 31W | LED | Metal + PC



IP20

offer



Order Code	Colour	Ring Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62010/G/OR	Grey	Orange	Warm white	3000K	11W	230V		5	-
62010/G/V	Grey	Violet	Warm white	3000K	11W	230V		5	-
62010A/G/V	Grey	Violet	Warm white	3000K	31W	230V		5	-
62014/G	Grey	-	Warm white	3000K	31W	230V		5	-

one



The Classic Plafo



62024C | 26W | SMD LED | Metal + plastic



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
62024C/W	White	Warm white	3000K	26W	1600lm	230V	⊕	5 Complete with 700mA driver

The LED Slim Plafo Range


Round



62022B/W/W



62022A | 20W | SMD 2835 | PC



IP20



62022B | 25W | SMD 2835 | PC



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62022A/W/W	White	Warm white	3000K	20W	1600lm	230V		5	Complete with 450mA driver
62022B/W/W	White	Warm white	3000K	25W	2000lm	230V		5	Complete with 600mA driver

The LED Plafo Range




62026D/W/W

62026A | 15W | SMD 2835 | Metal + PMMA




IP20



62026B | 24W | SMD 2835 | Metal + PMMA




IP20



62026C | 30W | SMD 2835 | Metal + PMMA



IP20



62026D | 50W | SMD 2835 | Metal + PMMA



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62026A/W	White	Warm white	3000K	15W	1050lm	230V		5	Complete with driver
62026B/W	White	Warm white	3000K	24W	1700lm	230V		5	Complete with driver
62026C/W	White	Warm white	3000K	30W	2150lm	230V		5	Complete with driver
62026D/W/C	White	Cool white	4000K	50W	3750lm	230V		5	Complete with driver
62026D/W/W	White	Warm white	3000K	50W	3750lm	230V		5	Complete with driver

The LED Slim Plafo Range



67448 | 24W | SMD LED | Metal + Plastic



LED BUILT IN
85 CRI

2 YEAR



IP20




67448A | 36W | SMD LED | Metal + Plastic






LED BUILT IN
85 CRI

2 YEAR



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67448/W/W	White	Warm white	3000K	24W	1800lm	230V		5	Complete with 550mA driver
67448A/W/W	White	Warm white	3000K	36W	2700lm	230V		5	Complete with 900mA driver

The LED Plafo Range



62154 | 24W | SMD 2835 | Metal + Plastic

LED BUILT IN
80 CRI
2 YEAR




IP20



62154 | 24W | SMD 2835 | Metal + Plastic

LED BUILT IN
80 CRI
2 YEAR




IP20



62154 | 24W | SMD 2835 | Metal + Plastic

LED BUILT IN
80 CRI
2 YEAR



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62154/W/W	White	Warm white	3000K	24W	1560lm	230V		10	Complete with 200mA driver
62154/B/W	Black	Warm white	3000K	24W	1560lm	230V		10	Complete with 200mA driver
62154/C/W	Chrome	Warm white	3000K	24W	1560lm	230V		10	Complete with 200mA driver

The LED Project Plafo Metal




67438/W/W



62125D/W/C




62118D | 20W | SMD 2835 | Metal



IP20




62125D | 25W | SMD 2835 | Metal



IP20



62150D | 50W | SMD 2835 | Metal



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62118D/W/W	White	Warm white	3000K	20W	1700lm	120°	230V		1	Complete with 500mA driver
62125D/W/C	White	Cool white	4000K	25W	2125lm	120°	230V		1	Complete with 700mA driver
62125D/W/W	White	Warm white	3000K	25W	2125lm	120°	230V		1	Complete with 700mA driver
62150D/W/C	White	Cool white	4000K	50W	4250lm	120°	230V		1	Complete with 1400mA driver
62150D/W/W	White	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1400mA driver



The LED Project Plafo Aluminium




67438 | 40W | SMD 3030 | Aluminium



IP20



67438 | 40W | SMD 3030 | Aluminium



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67438/W/W	White	Warm white	3000K	40W	3400lm	230V		1	Complete with 1000mA driver
67438/B/W	Black	Warm white	3000K	40W	3400lm	230V		1	Complete with 1000mA driver

The LED Slim Line Plafo



62146/W/W

IP20


62146 | 55W | SMD 2835 | Metal + PS



62146/B/W

IP20

62146 | 55W | SMD 2835 | Metal + PS



IP20

62146A | 50W | SMD 2835 | Metal + PS




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
62146/W/W	White	Warm white	3000K	55W	4100lm	230V	⊕	1	Complete with 600mA driver
62146/B/W	Black	Warm white	3000K	55W	4100lm	230V	⊕	1	Complete with 600mA driver
62146A/B/W	Black	Warm white	3000K	50W	3800lm	230V	⊕	1	Complete with 480mA driver



The LED Slim Line Plafo



62160 | 62W | SMD 2835 | Metal



IP20



62160A | 62W | SMD 2835 | Aluminium



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62160/W/W	White	Warm white	3000K	62W	3600lm	120°	230V		1	Complete with 1500mA driver
62160A/W/W	White	Warm white	3000K	62W	3600lm	120°	230V		1	Complete with 1500mA driver
62160A/B/W	Black	Warm white	3000K	62W	3600lm	120°	230V		1	Complete with 1500mA driver

The Ultra Slim LED Plafo


Aluminium






62140FB | 40W | SMD 2835 | Aluminium



62160FB | 60W | SMD 2835 | Aluminium



62152 | 40W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
62140FB/W/C	White	Cool white	4000K	40W	3500lm	230V	⊕	Complete with 1000mA driver
62140FB/W/W	White	Warm white	3000K	40W	3500lm	230V	⊕	Complete with 1000mA driver
62140FB/B/C	Black	Cool white	4000K	40W	3500lm	230V	⊕	Complete with 1000mA driver
62160FB/W/C	White	Cool white	4000K	60W	5300lm	230V	⊕	Complete with 1500mA driver
62160FB/W/W	White	Warm white	3000K	60W	5300lm	230V	⊕	Complete with 1500mA driver
62160FB/B/C	Black	Cool white	4000K	60W	5300lm	230V	⊕	Complete with 1500mA driver
62152/W/C	White	Cool white	4000K	40W	2800lm	230V	⊕	Complete with 950mA driver




Indoor LED & Music Plafo




67402/W/W

IP40

67402 | 25W | SMD 2835 | Aluminium + PC






67402/B/W



IP20

62025 | 24W | SMD LED | Dimmable + RGB + Speaker | CCT Variable | ABS + PMMA

Bluetooth speaker plafo.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67402/W/W	White	Warm white	3000K	25W	1850lm	100-240V	⌚	10	Complete with driver
67402/B/W	Black	Warm white	3000K	25W	1850lm	100-240V	⌚	10	Complete with driver
62025	White	CCT V	2700K - 6500K	24W	1560lm	100-240V	📏	5	Complete with driver

Slim Line Panel Plafo Square




62018AF | 18W | SMD 4014 | Aluminium + PC




LED
 BUILT IN
80
 CRI


 2
 YEAR

IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
62018AF/W/W	White	Warm white	3000K	18W	1400lm	230V		Complete with driver

The Ultra Slim LED Panel Plafo Round



62030F/W/W



62018F/W/W





62018F | 18W | SMD 4014 | Aluminium + PC



IP40




62030F | 30W | SMD 4014 | Aluminium + PC



IP40




62038F | 38W | SMD 4014 | Aluminium + PC




IP40

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
62018F/W/W	White	Warm white	3000K	18W	1400lm	230V	⚡	20	Complete with driver
62030F/W/W	White	Warm white	3000K	30W	2300lm	230V	⚡	10	Complete with driver
62038F/W/C	White	Cool white	4000K	38W	3000lm	230V	⚡	5	Complete with driver
62038F/W/W	White	Warm white	3000K	38W	2900lm	230V	⚡	5	Complete with driver

The LED Decorative Plafo Round



62142N/AN/W



62132N/W/W




62132N/AN/W

62132N | 32W | SMD 2835 | Aluminium



62132N/W/W



IP20




62132N/BBS/W

62132N | 32W | SMD 2835 | Aluminium



62132N/MG/W



IP20




62142N/AN/W

62142N | 42W | SMD 2835 | Aluminium



62142N/W/W



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132N/W/W	White	Warm white	3000K	32W	2720lm	120°	230V		1	Complete with 800mA driver
62132N/AN/W	Anthracite	Warm white	3000K	32W	2720lm	120°	230V		1	Complete with 800mA driver
62132N/BBS/W	Brushed brass	Warm white	3000K	32W	2720lm	120°	230V		1	Complete with 800mA driver
62132N/MG/W	Metal grey	Warm white	3000K	32W	2720lm	120°	230V		1	Complete with 800mA driver
62142N/W/W	White	Warm white	3000K	42W	3570lm	120°	230V		1	Complete with 1050mA driver
62142N/AN/W	Anthracite	Warm white	3000K	42W	3570lm	120°	230V		1	Complete with 1050mA driver





The LED Decorative Plafo Round CCT V



62130N | 20W | SMD 2835 | Aluminium





new
IP20



62132N | 32W | SMD 2835 | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
62130N/W/V	White	CCT V	2700K-3000K-4000K	20W	1700lm	120°	230V	⚡	1	Complete with 500mA driver
62130N/AN/V	Anthracite	CCT V	2700K-3000K-4000K	20W	1700lm	120°	230V	⚡	1	Complete with 500mA driver
62132N/W/V	White	CCT V	2700K-3000K-4000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver
62132N/AN/V	Anthracite	CCT V	2700K-3000K-4000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver

The LED Decorative Plafo CCT V




62134N/W/V

62134N | 30W | SMD LED | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20




62134N/B/V

62134N | 30W | SMD LED | Dimmable | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20




62134N/BBS/V

62134N | 30W | SMD LED | Dimmable | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20




62134N/BGL/V

62134N | 30W | SMD LED | Dimmable | Aluminium

LED BUILT IN
90 CRI

3 YEAR

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62134N/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA driver
62134N/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver

The LED Decorative Plafo



62144N/B/W




62144N/BGL/W



62144N/W/W

62144N | 50W | SMD 2835 | Aluminium




IP20



62144N/B/W

62144N | 50W | SMD 2835 | Aluminium




IP20



62144N/BBS/W

62144N | 50W | SMD 2835 | Aluminium




IP20



62144N/BGL/W

62144N | 50W | SMD 2835 | Aluminium



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62144N/W/W	White	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver
62144N/B/W	Black	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver
62144N/BBS/W	Brushed brass	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver
62144N/BGL/W	Brushed gold	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver

The LED Decorative Plafo

CCT V



62130L/B/V





62130L/BGL/V



62130L/W/V

62130L | 30W | SMD LED | Dimmable | Aluminium



new
IP20



62130L/B/V

62130L | 30W | SMD LED | Dimmable | Aluminium




new
IP20



62130L/BBS/V

62130L | 30W | SMD LED | Dimmable | Aluminium




new
IP20



62130L/BGL/V

62130L | 30W | SMD LED | Dimmable | Aluminium



new
IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
62130L/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver

The LED Decorative Plafo




62148L/W/V

62148L | 48W | SMD LED | Dimmable | Aluminium



new
IP20




62148L/B/V

62148L | 48W | SMD LED | Dimmable | Aluminium



new
IP20




62148L/BGL/W

62148L | 48W | SMD 2835 | Aluminium



IP20






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62148L/W/V	White	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V		1	Complete with 1200mA dimmable driver
62148L/B/V	Black	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V		1	Complete with 1200mA dimmable driver
62148L/BGL/W	Brushed gold	Warm white	3000K	48W	4080lm	120°	230V		1	Complete with 1200mA driver

Decorative Plafo




Round



62182 | 40W | SMD 2835 | Aluminium



62182A | 50W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
62182/BAN/W	Brushed anthracite	Warm white	3000K	40W	3400lm	230V	⊕	1	Complete with 1050mA driver
62182/BGL/W	Brushed gold	Warm white	3000K	40W	3400lm	230V	⊕	1	Complete with 1050mA driver
62182/BBR/W	Brushed brown	Warm white	3000K	40W	3400lm	230V	⊕	1	Complete with 1050mA driver
62182A/BAN/W	Brushed anthracite	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver
62182A/BGL/W	Brushed gold	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver
62182A/BBR/W	Brushed brown	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver



The LED Decorative Plafo Square



62132NA/W/W

IP20

62132NA | 38W | SMD 2835 | Aluminium



62142NA/W/W

IP20

62142NA | 50W | SMD 2835 | Aluminium



62142NA/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132NA/W/W	White	Warm white	3000K	38W	3230lm	120°	230V		1	Complete with 1000mA driver
62142NA/W/W	White	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver
62142NA/B/W	Black	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1200mA driver

Decorative Plafo




IP20

62112 | 12W | SMD 2835 | Aluminium



IP20

62135NA | 35W | SMD 2835 | Metal




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62112/BS/W	Brass	Warm white	3000K	12W	960lm	230V		1	Complete with 24V DC driver
62135NA/W/W	White	Warm white	3000K	35W	2100lm	230V		1	Complete with 700mA driver


one




Decorative Plafo



67452 | 30W | SMD 3030 | Aluminium



67452 | 30W | SMD 3030 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67452/W/W	White	Warm white	3000K	30W	2400lm	230V		1	Complete with 800mA driver
67452/B/W	Black	Warm white	3000K	30W	2400lm	230V		1	Complete with 800mA driver

The LED Panel Plafo Round



62115F/W/W



62130F/B/W



62115F/W/W

62115F | 15W | SMD 4014 | Die cast



62115F/B/W




62130F/W/W

62130F | 30W | SMD 4014 | Die cast



62130F/B/W

Optional dimmable driver code 040060.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62115F/W/C	White	Cool white	4000K	15W	1360lm	230V	□	10	Complete with 500mA driver
62115F/W/W	White	Warm white	3000K	15W	1360lm	230V	□	10	Complete with 500mA driver
62115F/B/C	Black	Cool white	4000K	15W	1360lm	230V	□	10	Complete with 500mA driver
62115F/B/W	Black	Warm white	3000K	15W	1360lm	230V	□	10	Complete with 500mA driver
62130F/W/C	White	Cool white	4000K	30W	2550lm	230V	□	10	Complete with 700mA driver
62130F/W/W	White	Warm white	3000K	30W	2550lm	230V	□	10	Complete with 700mA driver
62130F/B/W	Black	Warm white	3000K	30W	2550lm	230V	□	10	Complete with 700mA driver

The LED Panel Plafo Square



62122F/W/W



62130AF/W/W



62122F/W/W


62122F | 22W | SMD LED | Die cast



IP40



62122F/B/W



62130AF/W/W


62130AF | 30W | SMD 4014 | Die cast



IP40



62130AF/W/C





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62122F/W/W	White	Warm white	3000K	22W	1870lm	230V	□	10	Complete with 700mA driver
62122F/B/W	Black	Warm white	3000K	22W	1870lm	230V	□	10	Complete with 700mA driver
62130AF/W/C	White	Cool white	4000K	30W	2550lm	230V	□	10	Complete with 700mA driver
62130AF/W/W	White	Warm white	3000K	30W	2550lm	230V	□	10	Complete with 700mA driver




LED Die Cast Panel Range



62140F | 40W | SMD 4014 | Die cast



IP40




62140RF | 40W | SMD 2016 | Die cast



IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140F/W/W	White	Warm white	3000K	40W	2520lm	230V		5	Complete with 1000mA driver
62140RF/W/C	White	Cool white	4000K	40W	2700lm	230V		5	Complete with 1000mA driver
62140RF/W/W	White	Warm white	3000K	40W	2700lm	230V		5	Complete with 1000mA driver

LED Aluminium Panel Range Backlit




62140AE | 40W | SMD 2835 | Aluminium + steel

Backlit.



IP20




62140BF | 30W | SMD 2835 | Aluminium + steel

Backlit.




IP20









62140RE | 40W | SMD 2835 | Aluminium + steel

Backlit.



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140AE/W/C	White	Cool white	4000K	40W	4000lm	230V		4	Complete with 1000mA driver
62140BF/W/C	White	Cool white	4000K	30W	3000lm	230V		4	Complete with 800mA driver
62140RE/W/C	White	Cool white	4000K	40W	4000lm	230V		4	Complete with 1000mA driver
62140RE/W/W	White	Warm white	3000K	40W	4000lm	230V		4	Complete with 1000mA driver



62150BFU/W/V

62140BFU/B/V

UGR19 Backlit CCT V




62140BAU/W/V

62140BAU | 40W | SMD 2835 | Aluminium + steel | Microprismatic

Backlit.



62140BAU/B/V




62140BFU/W/V

62140BFU | 30W | SMD 2835 | Aluminium + steel | Microprismatic

Backlit.



62140BFU/B/V




62150BFU/W/V

62150BFU | 40W | SMD 2835 | Aluminium + steel | Microprismatic

Backlit.



62150BFU/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140BAU/W/V	White	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver
62140BAU/B/V	Black	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver
62140BFU/W/V	White	CCT V	3000K-4000K-5700K	30W	2700lm-3000lm-2850lm	230V		4	Complete with 800mA driver
62140BFU/B/V	Black	CCT V	3000K-4000K-5700K	30W	2700lm-3000lm-2850lm	230V		4	Complete with 800mA driver
62150BFU/W/V	White	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver
62150BFU/B/V	Black	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver



UGR19 Backlit CCT V



62140BRU/W/V

62140BRU | 40W | SMD 2835 | Aluminium + steel | Microprismatic

Backlit.



62140BRU/B/V



62150BRU/W/V

62150BRU | 50W | SMD 2835 | Aluminium + steel | Microprismatic

Backlit.



62150BRU/B/V




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140BRU/W/V	White	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver
62140BRU/B/V	Black	CCT V	3000K-4000K-5700K	40W	3600lm-4000lm-3800lm	230V		4	Complete with 1000mA driver
62150BRU/W/V	White	CCT V	3000K-4000K-5700K	50W	4500lm-5000lm-4750lm	230V		4	Complete with 1200mA driver
62150BRU/B/V	Black	CCT V	3000K-4000K-5700K	50W	4500lm-5000lm-4750lm	230V		4	Complete with 1200mA driver



The LED Slim Plafo Range Round



67366 | 12W | SMD 2835 | PC



IP54



67366E | 12W | SMD 2835 | Emergency 3Hrs Maintained | PC



IP54



67368 | 18W | SMD 2835 | PC



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67366/W/W	White	Warm white	3000K	12W	960lm	230V	☐	20	Complete with 160mA driver
67366E/W/C	White	Cool white	4000K	12W	960lm	230V	☐	20	Emergency 3Hrs Maintained
67366E/W/W	White	Warm white	3000K	12W	960lm	230V	☐	20	Emergency 3Hrs Maintained
67368/W/C	White	Cool white	4000K	18W	1488lm	230V	☐	10	Complete with 225mA driver
67368/W/W	White	Warm white	3000K	18W	1350lm	230V	☐	10	Complete with 225mA driver



The LED Slim Plafo Range

PC



67370 | 25W | SMD 2835 | PC



IP54



67372 | 25W | SMD 2835 | PC



IP54

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67370/W/C	White	Cool white	4000K	25W	2000lm	230V	□	10	Complete with 300mA driver
67372/W/C	White	Cool white	4000K	25W	2000lm	230V	□	10	Complete with 300mA driver
67372/W/W	White	Warm white	3000K	25W	1875lm	230V	□	10	Complete with 300mA driver




Outdoor Project LED Plafo

Die cast



67384 | 30W | SMD LED | Die cast

LED
 BUILT IN
 80
 CRI
 CE
 2
 YEAR




IP54



67384A | 30W | SMD LED | Die cast

LED
 BUILT IN
 80
 CRI
 CE
 2
 YEAR



IP54

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67384/W/W	White	Warm white	3000K	30W	2500lm	230V		4	Complete with 700mA driver
67384/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V		4	Complete with 700mA driver
67384A/W/W	White	Warm white	3000K	30W	2500lm	230V		4	Complete with 700mA driver
67384A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V		4	Complete with 700mA driver



Outdoor Slim LED Plafo

Die cast



67363/W/W



67363A/AN/W



67363A/W/W

67362 | 20W | SMD LED | Die cast




IP54



67362/AN/W



67362/W/W



67363 | 30W | SMD LED | Die cast




IP54



67363/AN/W



67363/W/W




67362A | 20W | SMD LED | Die cast




IP54



67362A/AN/W



67362A/W/W




67363A | 30W | SMD LED | Die cast




IP54



67363A/AN/W



67363A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67362/W/W	White	Warm white	3000K	20W	1600lm	230V		8	Complete with 500mA driver
67362/AN/W	Anthracite	Warm white	3000K	20W	1600lm	230V		8	Complete with 500mA driver
67363/W/W	White	Warm white	3000K	30W	2500lm	230V		6	Complete with 700mA driver
67363/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V		6	Complete with 700mA driver
67362A/W/W	White	Warm white	3000K	20W	1600lm	230V		8	Complete with 500mA driver
67362A/AN/W	Anthracite	Warm white	3000K	20W	1600lm	230V		8	Complete with 500mA driver
67363A/W/W	White	Warm white	3000K	30W	2500lm	230V		6	Complete with 700mA driver
67363A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V		6	Complete with 700mA driver

The LED Plafo Outdoor Square Plastic



67282N/W/W


67282N | 16W | SMD 2835 | ABS + PC



IP65



67282N/G/W



67282N/AN/W



67282AN/W/W


67282AN | 24W | SMD 2835 | ABS + PC



IP65



67282AN/G/W



67282AN/AN/W



67282BN | 30W | SMD 2835 | ABS + PC



IP65



67282ANE | 16W | SMD 2835 | Emergency 3Hrs Maintained | ABS + PC



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67282N/W/W	White	Warm white	3000K	16W	960lm	230V	☐	10	Complete with 500mA driver
67282N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V	☐	10	Complete with 500mA driver
67282N/G/W	Grey	Warm white	3000K	16W	960lm	230V	☐	10	Complete with 500mA driver
67282AN/W/W	White	Warm white	3000K	24W	1440lm	230V	☐	10	Complete with 600mA driver
67282AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V	☐	10	Complete with 600mA driver
67282AN/G/W	Grey	Warm white	3000K	24W	1440lm	230V	☐	10	Complete with 600mA driver
67282BN/G/W	Grey	Warm white	3000K	30W	1800lm	230V	☐	4	Complete with 700mA driver
67282ANE/G/W	Grey	Warm white	3000K	16W	1280lm	230V	☐	10	Emergency 3Hrs Maintained

The LED Plafo Outdoor Round



67280N/W/W

67280N | 16W | SMD 2835 | ABS + PC




IP65



67280N/G/W



67280N/AN/W



67280N/W/W


67280AN | 24W | SMD 2835 | ABS + PC



IP65



67280AN/AN/W




67280AN/W/W

67280BN | 30W | SMD 2835 | ABS + PC




IP65



67280ANE | 15W | SMD 2835 | Emergency 3Hrs Maintained | ABS + PC



IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67280N/W/C	White	Cool white	4000K	16W	960lm	230V	□	10	Complete with 500mA driver
67280N/W/W	White	Warm white	3000K	16W	960lm	230V	□	10	Complete with 500mA driver
67280N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V	□	10	Complete with 500mA driver
67280N/G/W	Grey	Warm white	3000K	16W	960lm	230V	□	10	Complete with 500mA driver
67280AN/W/W	White	Warm white	3000K	24W	1440lm	230V	□	10	Complete with 600mA driver
67280AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V	□	10	Complete with 600mA driver
67280BN/W/W	White	Warm white	3000K	30W	1800lm	230V	□	5	Complete with 700mA driver
67280ANE/G/W	Grey	Warm white	3000K	15W	1000lm	230V	□	10	Emergency 3Hrs Maintained



The E27 Plafo Outdoor Range Square

67282E | 12W | E27 | ABS + PC



IP65



| 221x221mm |

93mm



67282EA | 2x12W | E27 | ABS + PC



IP65




| 295x295mm |

105mm



Order Code	Colour	Watts	Input	Class		Notes
67282E/W	White	12W	100-240V		10	-
67282E/AN	Anthracite	12W	100-240V		10	-
67282E/B	Black	12W	100-240V		10	-
67282E/G	Grey	12W	100-240V		10	-
67282EA/W	White	2x12W	100-240V		10	-
67282EA/AN	Anthracite	2x12W	100-240V		10	-
67282EA/B	Black	2x12W	100-240V		10	-
67282EA/G	Grey	2x12W	100-240V		10	-



The E27 Plafo Outdoor Range Round



67280E/B

67280E | 12W | E27 | ABS + PC



IP65




67280E/W



67280E/G



67280E/AN



67280EA/B

67280EA | 2x12W | E27 | ABS + PC



IP65




67280EA/W












67280EA/G



67280EA/AN




Order Code	Colour	Watts	Input	Class		Notes
67280E/W	White	12W	100-240V		10	-
67280E/AN	Anthracite	12W	100-240V		10	-
67280E/B	Black	12W	100-240V		10	-
67280E/G	Grey	12W	100-240V		10	-
67280EA/W	White	2x12W	100-240V		10	-
67280EA/AN	Anthracite	2x12W	100-240V		10	-
67280EA/B	Black	2x12W	100-240V		10	-
67280EA/G	Grey	2x12W	100-240V		10	-

The IP65 Plafo Range



67390/W/C


67390 | 21W | SMD 2835 | ABS + PC



IP65



67390/W/W




67390/AN/W

67390 | 21W | SMD 2835 | ABS + PC



IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67390/W/C	White	Cool white	4000K	21W	1300lm	230V	☐	10	Complete with 500mA driver
67390/W/W	White	Warm white	3000K	21W	1300lm	230V	☐	10	Complete with 500mA driver
67390/AN/W	Anthracite	Warm white	3000K	21W	1300lm	230V	☐	10	Complete with 500mA driver

one


The IP65 CCT V Plafo



67498 | 20W | SMD 2835 | ABS + PC




IP65




67218 | 15W | SMD 2835 | Plastic

Emergency version 67218E/W.





IP65



67218E | 15W | SMD 2835 | Emergency 3Hrs Maintained | Plastic



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67498/AN/V	Anthracite	CCT V	3000K-4000K-6500K	20W	1300lm	230V		10	Complete with 500mA driver
67218/W/V	White	CCT V	3000K-4000K-6500K	15W	1600lm	230V		6	Complete with 180mA driver
67218E/W/V	White	CCT V	3000K-4000K-6500K	15W	1600lm	230V		6	Supplied with battery