

one



# Decorative

Pages 551-594

# 16





## The LED Flickering Candles




9C004B | LED | Flickering candle | Plastic

ON/OFF and 5 hours timer functions.



IP20  
offer



Order Code

Battery



Notes

9C004B/F



2xAA

24

-

one


# The Oriental Range Metal



61050A | 40W | E27 | Metal | Table lamp



Suitable for E27 LED lamp.




IP20



61050B | 40W | E27 | Metal | Floor lamp



Suitable for E27 LED lamp.



IP20

Order Code	Colour	Watts	Input	Class		Notes
61050A	Antique oriental	40W	100-240V		1	-
61050B	Antique oriental	40W	100-240V		1	-



## Portable Trendy Lights



61082A/W



61082A/BR



61082A/W



61082A/BR


## Portable Trendy Lights




61082A/W

**61082A** | 3,3W | SMD LED | Touch switch | Dimmable | Die cast

Rechargeable USB socket.



Charging time: 6Hrs  
Working time: 9Hrs




61082A/BR

**61082A** | 3,3W | SMD LED | Touch switch | Dimmable | Die cast

Rechargeable USB socket.



Charging time: 6Hrs  
Working time: 9Hrs




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61082A/W	White	Warm white	3000K	3,3W	200lm		6	2x2200mAh lithium batteries
61082A/BR	Brown	Warm white	3000K	3,3W	200lm		6	2x2200mAh lithium batteries

# Portable Trendy Lights



**61082B** | 3,5W | SMD LED | Touch switch | Dimmable | Aluminium


Rechargeable USB socket.



new  
IP54



Charging time: 3Hrs  
Working time: 3-3.5Hrs



**61082** | 3.5W | SMD LED | Touch switch | Dimmable | Aluminium + steel


Rechargeable USB socket.



IP54




Charging time: 3-5Hrs  
Working time: 6-7 Hrs



**61082** | 3.5W | SMD LED | Touch switch | Dimmable | Aluminium + steel



Rechargeable USB socket.



IP54



Charging time: 3-5Hrs  
Working time: 6-7 Hrs





**61082** | 3.5W | SMD LED | Touch switch | Dimmable | Aluminium + steel


Rechargeable USB socket.



IP54



Charging time: 3-5Hrs  
Working time: 6-7 Hrs



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	📦	Notes
61082B/W/W	White	Warm white	3000K	3,5W	200lm	III	12	1800mAh lithium battery
61082B/B/W	Black	Warm white	3000K	3,5W	200lm	III	12	1800mAh lithium battery
61082/W	White	Warm white	3000K	3.5W	260lm	III	6	5200mAh lithium battery
61082/B	Black	Warm white	3000K	3.5W	260lm	III	6	5200mAh lithium battery
61082/W/RGBW	White	RGB + Warm white	RGB + 3000K	3.5W	260lm	III	6	5200mAh lithium battery
61082/B/RGBW	Black	RGB + Warm white	RGB + 3000K	3.5W	260lm	III	6	5200mAh lithium battery



## Portable Table Lights





61100 | 3W | SMD LED | Touch switch | 3-Step Dimming | Metal

Rechargeable USB socket.



IP54



Charging time: 2,5Hrs  
Working time: 8Hrs





61102 | 3W | SMD LED | Touch | 3-Step Dimming | Metal

Rechargeable USB socket.



IP54



Charging time: 2,5Hrs  
Working time: 8Hrs

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61100/W	White	Warm white	3000K	3W	120lm		10	4000mAh lithium battery
61100/B	Black	Warm white	3000K	3W	120lm		10	4000mAh lithium battery
61100/BS	Brass	Warm white	3000K	3W	120lm		10	4000mAh lithium battery
61102/AL	Aluminium	Warm white	3000K	3W	120lm		10	2000mAh lithium battery
61102/BBS	Brushed brass	Warm white	3000K	3W	120lm		10	2000mAh lithium battery
61102/CU	Copper	Warm white	3000K	3W	120lm		10	2000mAh lithium battery



# Portable Table Lights



61090/W

**61090** | 2,5W | SMD LED | Dimmable | Die cast + PC diffuser

Rechargeable USB socket.




IP65



61090/B

Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61106/W/W

**61106** | 2W | SMD LED | Touch switch | Dimmable | Aluminium

Rechargeable USB socket.




new

IP44



61106/B/W

Charging time: 4 Hrs  
Working time: 5 Hrs



**61094** | 1,8W | SMD LED | Dimmable | Die cast


Rechargeable USB socket.



IP65



Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61090/W	White	CCT V	2700K-3000K	2,5W	100lm	III	6	2x4400mAh lithium batteries
61090/B	Black	CCT V	2700K-3000K	2,5W	100lm	III	6	2x4400mAh lithium batteries
61106/W/W	White	Warm white	3000K	2W	200lm	III	12	2200mAh lithium battery
61106/B/W	Black	Warm white	3000K	2W	200lm	III	12	2200mAh lithium battery
61094/W/UW	White	Ultra warm white	2200K	1,8W	120lm	III	6	2x4400mAh lithium batteries


# Portable Table Lights



61092/W

61092 | 2,5W | SMD LED | Dimmable | Die cast


Rechargeable USB socket.



IP65




Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61092/B

61092 | 2,5W | SMD LED | Dimmable | Die cast



Rechargeable USB socket.



IP65




Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61092/C

61092 | 2,5W | SMD LED | Dimmable | Die cast


Rechargeable USB socket.



IP65




Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity




61092/GL

61092 | 2,5W | SMD LED | Dimmable | Die cast


Rechargeable USB socket.



IP65



Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61000 | Charging station for 61090 & 61092 | 100-240V


Charge up to 6 table lamps.



IP20



Charging USB adaptor.  
Order code 61000A.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	⊠	Notes
61092/W	White	CCT V	2700K-3000K	2,5W	120lm	⊠	6	4400mAh lithium battery
61092/B	Black	CCT V	2700K-3000K	2,5W	120lm	⊠	6	4400mAh lithium battery
61092/C	Chrome	CCT V	2700K-3000K	2,5W	120lm	⊠	6	4400mAh lithium battery
61092/GL	Gold	CCT V	2700K-3000K	2,5W	120lm	⊠	6	4400mAh lithium battery





## Portable Table Lights



**61084** | 2W | SMD LED | Touch switch | 3-Step Dimming | Metal + PC

Rechargeable USB socket.





Charging time: 4Hrs  
Working time: 8Hrs



**61088** | 3W | SMD LED | 3-Step Dimming | ABS

Rechargeable USB socket.



Charging time: 3,5Hrs  
Working time:  
4Hrs / 8Hrs / 15Hrs  
100% / 50% / 25%

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61084/B	Black	Warm white	3000K	2W	80lm	III	8	2200mAh lithium battery
61088/W	White	Warm white	3000K	3W	120lm	III	9	2200mAh lithium battery
61088/B	Black	Warm white	3000K	3W	120lm	III	9	2200mAh lithium battery



# Crystal Effect Table Lights




**61096** | 1,2W | SMD LED | Touch switch | 3-Step Dimming | Plastic

Rechargeable USB socket.



IP54

Charging time: 2,5Hrs  
Working time: 8Hrs




**61098** | 1,2W | SMD LED | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.



IP54

Charging time: 2,5Hrs  
Working time: 8Hrs




**61104** | 1,2W | SMD LED | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.



IP54


Charging time: 2,5Hrs  
Working time: 8Hrs



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61096/W	Clear	Warm white	3000K	1,2W	60lm	III	10	2000mAh lithium battery
61098/W	Clear	Warm white	3000K	1,2W	60lm	III	10	2000mAh lithium battery
61104/W	Clear	Warm white	3000K	1,2W	60lm	III	10	2000mAh lithium battery




## The Ribbon Table Lights



**61086** | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.




IP20



**61086** | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.





IP20



**61086** | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>61086/W</b>	White	Warm white	3000K	10W	550lm	230V		5	Complete with 24V DC driver
<b>61086/B</b>	Black	Warm white	3000K	10W	550lm	230V		5	Complete with 24V DC driver
<b>61086/BS</b>	Brass	Warm white	3000K	10W	550lm	230V		5	Complete with 24V DC driver



# The Ribbon Floor Lights




61086A/W

**61086A** | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

**LED**  
 BUILT IN  
**80**  
 CRI **2**  
 YEAR



IP20





61086A/B

**61086A** | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

**LED**  
 BUILT IN  
**80**  
 CRI **2**  
 YEAR



IP20





61086A/BS

**61086A** | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.


**LED**  
 BUILT IN  
**80**  
 CRI **2**  
 YEAR



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>61086A/W</b>	White	Warm white	3000K	29W	1740lm	230V		1	Complete with 24V DC driver
<b>61086A/B</b>	Black	Warm white	3000K	29W	1740lm	230V		1	Complete with 24V DC driver
<b>61086A/BS</b>	Brass	Warm white	3000K	29W	1740lm	230V		1	Complete with 24V DC driver

# The Wood Nostalgia



**61118** | 12W | E27 | Wood + beige fabric shade

EU Plug.




IP20



**61118A** | 12W | E27 | Wood + beige fabric shade

EU Plug.



IP20

Order Code	Colour	Watts	Input	Class		Notes
61118	Wood	12W	100-240V		4	With ON/OFF Switch
61118A	Wood	12W	100-240V		1	With ON/OFF Switch


one




## LED Circle Rings



62156C | 65W | SMD 2835 | Aluminium



62156D | 100W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62156C/B/W	Black	Warm white	3000K	65W	4300lm	230V	⊕	1	Complete with 1600mA driver
62156C/BBS/W	Brushed brass	Warm white	3000K	65W	4300lm	230V	⊕	1	Complete with 1600mA driver
62156D/B/W	Black	Warm white	3000K	100W	6500lm	230V	⊕	1	Complete with 2x1200mA drivers






# LED Pendant Rings



**63046** | 25W | SMD 2835 | Steel + aluminium



Oval shape.



IP20



**63046A** | 45W | SMD 2835 | Steel + aluminium




63046A/W

IP20

63046A/B



**63046B** | 50W | SMD 2835 | Steel + aluminium



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
<b>63046/W</b>	White	Warm white	3000K	25W	1540lm	230V	⊕	1	Complete with 24V DC driver
<b>63046A/W</b>	White	Warm white	3000K	45W	2700lm	230V	⊕	1	Complete with 24V DC driver
<b>63046A/B</b>	Black	Warm white	3000K	45W	2700lm	230V	⊕	1	Complete with 24V DC driver
<b>63046B/W</b>	White	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 24V DC driver



## LED Pendant Rings




63048 | 19W | SMD 2835 | Steel + aluminium



**LED**  
 BUILT IN  
**80**  
 CRI


**2**  
 YEAR

IP20




63048 | 19W | SMD 2835 | Steel + aluminium






**LED**  
 BUILT IN  
**80**  
 CRI


**2**  
 YEAR

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63048/B	Black	Warm white	3000K	19W	1000lm	230V		1	Complete with 24V DC driver
63048/C	Chrome	Warm white	3000K	19W	1000lm	230V		1	Complete with 24V DC driver

# LED Pendant Rings



**63050** | 40W | SMD 2835 | Steel + aluminium




63050/W

IP20



63050/B



**62144NB** | 50W | SMD 2835 | Aluminium




62144NB/W/W

IP20



62144NB/B/W



**62144NB** | 50W | SMD 2835 | Aluminium




62144NB/BBS/W

IP20



62144NB/BGL/W




**63114** | 40W | SMD 2835 | Metal + ABS




63114/W/W

IP20



63114/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
<b>63050/W</b>	White	Warm white	3000K	40W	2250lm	230V	⊕	1	Complete with 24V DC driver
<b>63050/B</b>	Black	Warm white	3000K	40W	2250lm	230V	⊕	1	Complete with 24V DC driver
<b>62144NB/W/W</b>	White	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 1200mA driver
<b>62144NB/B/W</b>	Black	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 1200mA driver
<b>62144NB/BBS/W</b>	Brushed brass	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 1200mA driver
<b>62144NB/BGL/W</b>	Brushed gold	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 1200mA driver
<b>63114/W/W</b>	White	Warm white	3000K	40W	2400lm	230V	⊕	1	Complete with 1000mA driver
<b>63114/B/W</b>	Black	Warm white	3000K	40W	2400lm	230V	⊕	1	Complete with 1000mA driver



## LED Pendant Rings




63144A/W/W

IP20


**63144A** | 40W | SMD 2835 | Steel + aluminium + acrylic



63144A/B/W




63144A/BS/W




63144B/W/W

IP20


**63144B** | 60W | SMD 2835 | Steel + aluminium + acrylic



63144B/B/W



63144B/BS/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
63144A/W/W	White	Warm white	3000K	40W	4350lm	230V	⊕	1	Complete with 650mA driver
63144A/B/W	Black	Warm white	3000K	40W	4350lm	230V	⊕	1	Complete with 650mA driver
63144A/BS/W	Brass	Warm white	3000K	40W	4350lm	230V	⊕	1	Complete with 650mA driver
63144B/W/W	White	Warm white	3000K	60W	6800lm	230V	⊕	1	Complete with 1050mA driver
63144B/B/W	Black	Warm white	3000K	60W	6800lm	230V	⊕	1	Complete with 1050mA driver
63144B/BS/W	Brass	Warm white	3000K	60W	6800lm	230V	⊕	1	Complete with 1050mA driver





## The Swirl Range



**63066A** | 30W | SMD 2835 | Steel + aluminium



**63066** | 30W | SMD 2835 | Steel + aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
<b>63066A/W</b>	White	Warm white	3000K	30W	1800lm	230V	⊕	1	Complete with 24V DC driver
<b>63066A/B</b>	Black	Warm white	3000K	30W	1800lm	230V	⊕	1	Complete with 24V DC driver
<b>63066/W</b>	White	Warm white	3000K	30W	1500lm	230V	⊕	1	Complete with 24V DC driver
<b>63066/B</b>	Black	Warm white	3000K	30W	1500lm	230V	⊕	1	Complete with 24V DC driver

# The Swirl Range



**63062** | 36W | SMD 2835 | Steel + aluminium + acrylic

**80** CRI
 
  
**2** YEAR




IP20



**63068A** | 40W | SMD 2835 | Steel + aluminium + acrylic

**80** CRI
 
  
**2** YEAR




IP20



**63068** | 30W | SMD 2835 | Steel + aluminium + acrylic

**80** CRI
 
  
**2** YEAR



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>63062/BS</b>	Brass	Warm white	3000K	36W	1800lm	230V		1	Complete with 24V DC driver
<b>63068A/BS</b>	Brass	Warm white	3000K	40W	2400lm	230V		1	Complete with 24V DC driver
<b>63068/BS</b>	Brass	Warm white	3000K	30W	1500lm	230V		1	Complete with 24V DC driver



one

# The Crystal Swirl Range



**63054A** | 20W | SMD 2835 | Steel + aluminium + acrylic crystal look

LED BUILT IN  
80 CRI  
CE  
2 YEAR





IP20



**63054C** | 150W | SMD 2835 | Steel + aluminium + acrylic crystal look

LED BUILT IN  
80 CRI  
CE  
2 YEAR



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>63054A/B</b>	Black	Warm white	3000K	20W	1000lm	230V	⊕	1	Complete with 24V DC driver
<b>63054C/B</b>	Black	Warm white	3000K	150W	8500lm	230V	⊕	1	Complete with 24V DC driver

one


# The Light Bars



63056 | 65W | SMD 2835 | Steel + aluminium + acrylic

LED BUILT IN  
80 CRI  
CE  
2 YEAR

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
63056/BBS	Brushed brass	Warm white	3000K	65W	3900lm	230V	⊕	Complete with 24V DC driver



one



## Mushroom Pendants



63058/BGL/W

63058 | 60W | SMD 2835 | Aluminium




IP20



63058/BAN/W



63058/BBR/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
63058/BAN/W	Brushed anthracite	Warm white	3000K	60W	4200lm	230V	⊕	1	Complete with 1400mA driver
63058/BGL/W	Brushed gold	Warm white	3000K	60W	4200lm	230V	⊕	1	Complete with 1400mA driver
63058/BBR/W	Brushed brown	Warm white	3000K	60W	4200lm	230V	⊕	1	Complete with 1400mA driver


# LED Pendant Rings



**62142NB** | 42W | SMD 2835 | Aluminium

**LED BUILT IN**  
**90 CRI**


**new**  
**IP20**  
**3 YEAR**



**62142NB** | 42W | SMD 2835 | Aluminium

**LED BUILT IN**  
**80 CRI**
**3 YEAR**


**IP20**



**62180NB** | 80W | SMD 2835 | Metal base + aluminium + PMMA

**LED BUILT IN**  
**80 CRI**
**2 YEAR**

**IP20**



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62142NB/W/V	White	CCT V	2700K-3000K-4000K	42W	3570lm	230V		1	Complete with 1050mA driver
62142NB/AN/V	Anthracite	CCT V	2700K-3000K-4000K	42W	3570lm	230V		1	Complete with 1050mA driver
62142NB/W/W	White	Warm white	3000K	42W	3570lm	230V		1	Complete with 1050mA driver
62180NB/W/W	White	Warm white	3000K	80W	5600lm	230V		1	Complete with 2x1000mA drivers
62180NB/B/W	Black	Warm white	3000K	80W	5600lm	230V		1	Complete with 2x1000mA drivers

# The Cloud Series




**62148A** | 23W | SMD 2835 | Metal base + PC






IP20



**62148B** | 40W | SMD 2835 | Metal base + PC



IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>62148A/W</b>	White	Warm white	3000K	23W	1900lm	230V		1	Complete with 500mA driver
<b>62148B/W</b>	White	Warm white	3000K	40W	3200lm	230V		1	Complete with 1000mA driver



## The Cloud Pendant Series



**63110C** | 80W | SMD 2835 | Metal base + PC



IP20



**63112** | 60W | SMD 2835 | Metal + Plastic



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>63110C/W</b>	White	Warm white	3000K	80W	6400lm	230V		1	Complete with 2x1000mA drivers
<b>63112/W</b>	White	Warm white	3000K	60W	4800lm	230V		1	Complete with 1300mA driver



# The Glass Stone Series




**62184A** | 24W | SMD 2835 | Metal + glass



**LED BUILT IN**  
**80 CRI**

**3 YEAR**



IP20





**62184B** | 24W | SMD 2835 | Metal + glass






**LED BUILT IN**  
**80 CRI**

**3 YEAR**



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>62184A/C/W</b>	Chrome	Warm white	3000K	24W	1300lm	230V		1	Complete with 300mA driver
<b>62184B/C/W</b>	Chrome	Warm white	3000K	24W	1300lm	230V		1	Complete with 300mA driver

one




## The Glass Stone Series



63184C | 24W | SMD 2835 | Metal + glass




IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⊞	Notes
63184C/C/W	Chrome	Warm white	3000K	24W	1300lm	230V	⊞	1	Complete with 600mA driver

# The Nordic Decorative Range




**62116A** | 5x9W | G9 | Steel



IP20



Suitable for G9 LED lamp.





**60116** | 9W | G9 | Steel



IP20




Suitable for G9 LED lamp.



**61116** | 9W | G9 | Steel



IP20



61116/B

EU Schuko Plug.



Order Code	Colour	Watts	Input	Class			Notes
<b>62116A/BBS</b>	Brushed brass	5x9W	100-240V		-	2	-
<b>60116/BBS</b>	Brushed brass	9W	100-240V		-	4	-
<b>61116/B</b>	Black	9W	100-240V		150cm	4	With ON/OFF Switch
<b>61116/BBS</b>	Brushed brass	9W	100-240V		150cm	4	With ON/OFF Switch





## The Nordic Decorative Range



63116 | 9W | G9 | Steel




IP20






63116A | 5x9W | G9 | Steel



IP20



Order Code	Colour	Watts	Input	Class		Notes
63116/BBS	Brushed brass	9W	100-240V		4	-
63116A/BBS	Brushed brass	5x9W	100-240V		2	-





## The Nordic Decorative Range




63174C | 3x8W | E14 | Metal + glass



IP20



Suitable for E14 LED lamps.




Order Code	Colour	Watts	Input	Class		Notes
63174C/BS	Brass	3x8W	100-240V		1	-

# Retro Ceiling Lights




62172A | 12W | E27 | Metal



IP20




62172B | 3x12W | E27 | Metal



IP20



62172C | 6x12W | E27 | Metal



IP20

Order Code	Colour	Watts	Input	Class		Notes
62172A/BS	Brass	12W	100-240V		10	-
62172B/BS	Brass	3x12W	100-240V		5	-
62172C/BS	Brass	6x12W	100-240V		5	-

# Retro Classic Pendants




63134P | 4x8W | E14 | Fabric + glass



IP20



Suitable for E14 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
63134P	Dark grey	4x8W	100-240V	⊕	1	-




## Retro Classic Range



**63132P** | 8x8W | E14 | Aluminium + glass




IP20



**60132** | 2x8W | E14 | Aluminium + glass



IP20




Order Code	Colour	Watts	Input	Class		Notes
<b>63132P</b>	Brass	8x8W	100-240V		1	-
<b>60132</b>	Brass	2x8W	100-240V		8	-



## Glass Range Pendants




**63136** | 12W | E27 | Metal + glass



IP20



**63138** | 12W | E27 | Metal + glass




IP20

Order Code	Colour	Watts	Input	Class		Notes
<b>63136/DC</b>	Dark chrome	12W	100-240V		2	-
<b>63138/A</b>	Amber	12W	100-240V		4	-





## Modern Glass Art Range



**62170A** | 4x9W | G9 | Metal + glass




IP20



**62170B** | 6x9W | G9 | Metal + glass



IP20



Order Code	Colour	Watts	Input	Class		Notes
<b>62170A</b>	Copper	4x9W	100-240V		1	-
<b>62170B</b>	Copper	6x9W	100-240V		1	-




## The Classic Retro Range Ceiling Lights

62162A | 6x9W | G9 | Metal + plastic beads + glass



IP20



Order Code	Colour	Watts	Input	Class	Box	Notes
62162A	Chrome	6x9W	100-240V	⊕	1	-



# The Classic Retro Range


## Wall Lights



**60158** | 2x9W | G9 | Metal + aluminium rods + glass




IP20



**60162** | 2x9W | G9 | Metal + Plastic beads + glass




IP20



**60168** | 2x9W | G9 | Metal + aluminium tubes



IP20



Order Code	Colour	Watts	Input	Class		Notes
60158	Chrome	2x9W	100-240V		8	-
60162	Chrome	2x9W	100-240V		8	-
60168	Chrome	2x9W	100-240V		8	-






## The Classic Range Ceiling Lights





**62164A** | 4x9W | G9 | Metal + glass rods + glass



IP20



Order Code	Colour	Watts	Input	Class		Notes
62164A	Chrome	4x9W	100-240V		5	-


# The Classic Range



**63130P** | 9x9W | G9 | Metal + glass rods + glass



IP20




Order Code	Colour	Watts	Input	Class		Notes
63130P	Chrome	9x9W	100-240V		1	-

one

# The Classic Range




**62166B** | 5x9W | G9 | Metal + glass



IP20



**63166P** | 5x9W | G9 | Metal + glass



IP20

Order Code	Colour	Watts	Input	Class		Notes
<b>62166B</b>	Chrome	5x9W	100-240V		2	-
<b>63166P</b>	Chrome	5x9W	100-240V		2	-




## The Cube Range

**60178B** | 4x9W | G9 | Metal + glass



Suitable for G9 LED lamps.



IP20

Order Code	Colour	Watts	Input	Class		Notes
60178B/C	Chrome	4x9W	100-240V		1	-

one




# Crystal Recessed Die cast + crystal



10105C4 | 50W | MR16 | GU5,3 | Die cast + crystal



IP20  
offer



120mm

1200mm



Order Code	Colour	Watts	Input	Class					Notes
10105C4/C	Chrome	50W	12V		40cm	72mm	50mm	4	-

# Retro Lights




62120 | 12W | E27 | Surface | Recessed | Aluminium



IP20



62120A | 12W | E27 | Aluminium



IP20

Order Code	Colour	Watts	Input	Class				Notes
62120/BBS	Brushed brass	12W	100-240V		150mm	50mm	4	-
62120A/BBS	Brushed brass	12W	100-240V		-	-	2	-