



one

# Hotel & Bedroom

Pages 597-608


# 17



# The Hotel Range Metal




**61046** | 12W | E27 | Metal + white fabric shade



IP20



**61076** | 12W | E27 | Metal + white fabric shade



IP20

Order Code	Colour	Watts	Input	Class		Notes
<b>61046/MC</b>	Brushed chrome	12W	100-240V		8	With ON/OFF Switch
<b>61076/C</b>	Chrome	12W	100-240V		12	With ON/OFF Switch



61080/W/W

## The Hotel Range Metal




**61080** | 3W LED + 12W E27 | USB socket | Metal + white fabric shade

With 2 x ON/OFF Switches.



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⊠	Notes
61080/W/W	White	Warm white	3000K	3W LED + 12W E27	150lm	230V	⊕	4	Complete with 700mA driver




## The Hotel Range Metal



**61120** | 3W LED + 12W E27 | Metal + black fabric shade

With USB charger and 2 x ON/OFF Switches.




IP20



**61122** | 3W LED + 8W E14 | Metal + black fabric shade

With 2 x ON/OFF Switches.




IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>61120/B/W</b>	Black	Warm white	3000K	3W LED + 12W E27	150lm	230V		4	Complete with 500mA driver
<b>61122/C/W</b>	Chrome	Warm white	3000K	3W LED + 8W E14	150lm	230V		4	Complete with 500mA driver



# The Hotel Retro Range

## Steel




60118/B

IP20

60118 | 10W | E27 | Steel



Suitable for E27 LED lamp.





60118/BBS

IP20

60118 | 10W | E27 | Steel



Suitable for E27 LED lamp.




61116A/B

IP20


61116A | 10W | E27 | Steel



Suitable for E27 LED lamp.



EU Schuko Plug.




61116A/BBS

IP20

61116A | 10W | E27 | Steel



Suitable for E27 LED lamp.



EU Schuko Plug.

Order Code	Colour	Watts	Input	Class			Notes
60118/B	Black	10W	100-240V		-	4	-
60118/BBS	Brushed brass	10W	100-240V		-	4	-
61116A/B	Black	10W	100-240V		150cm	4	With ON/OFF Switch
61116A/BBS	Brushed brass	10W	100-240V		150cm	4	With ON/OFF Switch

# Reading Spots Aluminium



65746/B/W



65746/W/W




65746/C/W

65746 | 3W | LED | Aluminium

With ON/OFF Switch.

LED BUILT IN  
 80 CRI  
 ADJUSTABLE  
 CE  
 2 YEAR

IP20




65746/W/W

65746 | 3W | LED | Aluminium


With ON/OFF Switch.

LED BUILT IN  
 90 CRI  
 ADJUSTABLE  
 CE  
 3 YEAR


IP20



65746/B/W



Complete with Black & Brass reflectors.



65746A/W/W

65746A | 3W | LED | USB | Aluminium


With USB charger and ON/OFF Switch.

LED BUILT IN  
 90 CRI  
 ADJUSTABLE  
 CE  
 3 YEAR


IP20



65746A/B/W



Complete with Black & Brass reflectors.



65746R/W/W

65746R | 3W | LED | Wall recessed | Aluminium


With ON/OFF Switch.

LED BUILT IN  
 90 CRI  
 ADJUSTABLE  
 CE  
 3 YEAR


IP20



65746R/B/W



Complete with Black & Brass reflectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
65746/W/W	White	Warm white	3000K	3W	150lm	36°	230V		-	-	24	Complete with 700mA driver
65746/C/W	Chrome	Warm white	3000K	3W	150lm	36°	230V		-	-	24	Complete with 700mA driver
65746/B/W	Black	Warm white	3000K	3W	150lm	36°	230V		-	-	24	Complete with 700mA driver
65746A/W/W	White	Warm white	3000K	3W	150lm	36°	230V		-	-	24	Complete with 700mA driver
65746A/B/W	Black	Warm white	3000K	3W	150lm	36°	230V		-	-	24	Complete with 700mA driver
65746R/W/W	White	Warm white	3000K	3W	150lm	36°	230V		115x50mm	50mm	24	Complete with 700mA driver
65746R/B/W	Black	Warm white	3000K	3W	150lm	36°	230V		115x50mm	50mm	24	Complete with 700mA driver

# Reading Spots Aluminium





**65746B** | 3W + 6W Backlight | LED | Aluminium

With 2 x ON/OFF Switches.



IP20






**65746B** | 3W + 6W Backlight | LED | Aluminium

With 2 x ON/OFF Switches.



IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
<b>65746B/W/W</b>	White	Warm white	3000K	3W+6W	150lm+420lm	36°	230V	⊕	20	Complete with 700mA + 350mA drivers
<b>65746B/B/W</b>	Black	Warm white	3000K	3W+6W	150lm+420lm	36°	230V	⊕	20	Complete with 700mA + 350mA drivers



one




# Reading Spots Aluminium



65738/W/W

65738 | 3W | LED | Aluminium


With ON/OFF Switch.



65738/B/W

65738 | 3W | LED | Aluminium


With ON/OFF Switch.



65738/AL/W

65738 | 3W | LED | Aluminium



With ON/OFF Switch.



65738/BBS/W

65738 | 3W | LED | Aluminium

With ON/OFF Switch.



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65738/W/W	White	Black	Warm white	3000K	3W	160lm	36°	230V	⊕	24	Complete with 700mA driver
65738/B/W	Black	Black	Warm white	3000K	3W	160lm	36°	230V	⊕	24	Complete with 700mA driver
65738/AL/W	Aluminium	Black	Warm white	3000K	3W	160lm	36°	230V	⊕	24	Complete with 700mA driver
65738/BBS/W	Brushed brass	Black	Warm white	3000K	3W	160lm	36°	230V	⊕	24	Complete with 700mA driver





## Reading Spots Aluminium




65738A | 3W | LED | Aluminium

With ON/OFF Switch.



65744 | 3W | COB LED | Aluminium

With USB charger and ON/OFF Switch.



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65738A/W/W	White	-	Warm white	3000K	3W	160lm	36°	230V	⌚	24	Complete with 700mA driver
65738A/B/W	Black	-	Warm white	3000K	3W	160lm	36°	230V	⌚	24	Complete with 700mA driver
65744/B/W	Black	Brass	Warm white	3000K	3W	150lm	36°	230V	⌚	12	Complete with 700mA driver



65146/B/W

# Reading Spots



65146/W/W

**65146** | 3W + 6W Sidelight | LED | Metal + aluminium


With 2 x ON/OFF Switches.




IP20



65146/B/W



Complete with Black, Brass & White reflectors.




65146A/W/W

**65146A** | 3W + 6W Sidelight | LED | Metal + aluminium


With 2 x ON/OFF Switches.




IP20



65146A/B/W



Complete with Black, Brass & White reflectors.



65147/W/W

**65147** | 6W + 4W Uplight | SMD 2835 | Aluminium + acrylic

With 2X ON/OFF switches.




new

IP20



65147/B/W



65147A/W/W

**65147A** | 6W + 4W Uplight | SMD 2835 | Aluminium + acrylic

With 2X ON/OFF switches.




new

IP20



65147A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Icon	Notes
65146/W/W	White	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	20	Complete with 700mA + 500mA drivers
65146/B/W	Black	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	20	Complete with 700mA + 500mA drivers
65146A/W/W	White	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	20	Complete with 700mA + 500mA drivers
65146A/B/W	Black	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	20	Complete with 700mA + 500mA drivers
65147/W/W	White	Warm white	3000K	6W+4W	500lm+340lm	230V	⊕	12	Complete with 2 x 300mA drivers
65147/B/W	Black	Warm white	3000K	6W+4W	500lm+340lm	230V	⊕	12	Complete with 2 x 300mA drivers
65147A/W/W	White	Warm white	3000K	6W+4W	500lm+340lm	230V	⊕	12	Complete with 2 x 300mA drivers
65147A/B/W	Black	Warm white	3000K	6W+4W	500lm+340lm	230V	⊕	12	Complete with 2 x 300mA drivers

# Reading Spots



65144/W/W

**65144** | 3W + 6W Backlight | SMD LED | Metal + aluminium


With 2 x ON/OFF Switches.





IP20



65144/B/W



Complete with Black, Brass & White reflectors.




61132A/W/W

**61132A** | 3W + 6W Base light | SMD LED | Metal + aluminium


EU Plug / With 2 x ON/OFF Switches.




IP20



61132A/B/W



Complete with Black, Brass & White reflectors.




61132B/W/W

**61132B** | 3W + 8W Base light | LED | Metal + aluminium


EU Plug / With 2 x ON/OFF Switches.




IP20



61132B/B/W



Complete with Black, Brass & White reflectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
65144/W/W	White	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	10	Complete with 700mA + 150mA drivers
65144/B/W	Black	Warm white	3000K	3W+6W	150lm+420lm	230V	⊕	10	Complete with 700mA + 150mA drivers
61132A/W/W	White	Warm white	3000K	3W+6W	150lm+420lm	230V	⊞	6	Complete with 700mA + 150mA drivers
61132A/B/W	Black	Warm white	3000K	3W+6W	150lm+420lm	230V	⊞	6	Complete with 700mA + 150mA drivers
61132B/W/W	White	Warm white	3000K	3W+8W	150lm+560lm	230V	⊞	1	Complete with 700mA + 350mA drivers
61132B/B/W	Black	Warm white	3000K	3W+8W	150lm+560lm	230V	⊞	1	Complete with 700mA + 350mA drivers




# Hotel Reading Spots

Aluminium



**65740** | 6W | SMD 2835 | Aluminium

LED BUILT IN  
 80 CRI  
 ADJUSTABLE  
 CE  
 2 YEAR




IP20



**65740A** | 2x6W | SMD 2835 | Aluminium

LED BUILT IN  
 80 CRI  
 ADJUSTABLE  
 CE  
 2 YEAR



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
<b>65740/W/W</b>	White	Warm white	3000K	6W	500lm	230V		12	Complete with 300mA driver
<b>65740A/W/W</b>	White	Warm white	3000K	2x6W	2x500lm	230V		12	Complete with 300mA driver



65105NA/W

# The Retro GU10 Spots


## Aluminium





65105NA/B

65105NA | 10W | MR16 | GU10 | Aluminium

With switch.




65105NA/W




65105NA/BBS

65105NA | 10W | MR16 | GU10 | Aluminium

With switch.




65105NA/MG




65105NBA/B

65105NBA | 10W | MR16 | GU10 | Aluminium

With switch.



65105NBA/W



Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105NA/W	White	Black	10W	100-240V		12	-
65105NA/B	Black	Brass	10W	100-240V		12	-
65105NA/BBS	Brushed brass	Black	10W	100-240V		12	-
65105NA/MG	Metal grey	Black	10W	100-240V		12	-
65105NBA/W	White	Black	10W	100-240V		12	-
65105NBA/B	Black	Brass	10W	100-240V		12	-