

02 Recessed Spots Fixed LED>The Super Mini Series

10101L/B/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004T



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/B/W
Colour	Black
Material	Aluminium
Shape	Circular


Height	21mm
Diameter	16mm
Cutout Hole Diameter	12mm
Recessed Ceiling	Yes
Recessed wall	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Brand	Bridgelux
Cable Length	100cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	95lm
Light Efficiency	95lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	4,5cm
Box Weight	0.040kg
Pcs/Carton	100
Barcode	5291889060963
HS Code	9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

one
LIGHT

