

02 Recessed Spots Fixed LED>The IP65 Range

## 10103NP/AL/D/35



3x1W LED recessed spot IP65.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89004





89004T

## Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Range
Order Code	10103NP/AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	52mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3x1W
IP Rating	IP65
Light Source	LED built in
LED Number	1
Cable Length	200cm
F Mark	

## Illumination Data

Colour Temperature	6000K
Lumen Output	180lm@700mA
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

### Packing Info

Pcs/Carton	50
Barcode	5291889026365
HS Code	9405409900

### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

