

## **Product** Datasheet

www.1-light.eu

10104M/W

02 Recessed Spots Fixed LED>The Cement Look Recessed Cement + black reflector




4,5W Stone look Recessed LED spot.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.





#### Gallery



**Physical Specification** 

Item Group

02 Recessed Spots Fixed LED

Family

The Cement Look Recessed Cement + black reflector

Order Code	10104M/W
Colour	Cement
Material	Cement
Shape	Circular
Height	50mm



Diameter	90mm
Cutout Hole Diameter	72mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Adjustable	No

#### **Electrical Characteristics**

Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4,5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	8,6V

Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Brand	Bridgelux
LED Number	1




Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2W
Power Factor	0,5
Constant Current	Yes
350mA	2,8-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

### Illumination Data

Colour Temperature	3000K
Lumen Output	350lm
Light Efficiency	77,77lm/W
CRI	90

Beam Angle	40°
Illumination Diagram	
Dark Light	Yes





Box Length	15,5cm
Box Width	14,5cm
Box Height	12cm
Box Weight	0,438kg
Pcs/Carton	18
Barcode	5291889056119
HS Code	9405409900

Warranty 3 Years	Certification & Warranty	
	Warranty	3 Years
Weee Directive Yes	Weee Directive	Yes

# switch to one light!



