

## 02 Recessed Spots Fixed LED>The 12W COB IP65

## 10110P/W/C



12W COB LED recessed spot IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

Related items




89015AT

Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The 12W COB IP65
Order Code	10110P/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	18V
Safety Class	III
Power(Watts)	12W
IP Rating	IP65

Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

#### Illumination Data

Colour Temperature	4000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Pcs/Carton	48
Barcode	5291889067580
HS Code	9405409900

#### Certification & Warranty

Warranty	5 Years
----------	---------

switch to  
**one light!**

one  
LIGHT

