

03 Recessed Spots Adjustable > The Dual Ring Range Round

## 11105AC/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery




### Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Round
Order Code	11105AC/AL
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	20mm

Diameter	90mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

## Illumination Data

Illumination Diagram



## Packing Info

Box Length	10cm
Box Width	9,5cm
Box Height	5cm
Box Weight	0,139kg
Pcs/Carton	50
Barcode	5291889016106

HS Code

9405409900

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

