

Special Offers>Recessed Spots Adjustable

11105C/MC



Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Height	
Diameter	
Cutout Hole Diameter	
Recessed Ceiling	
Depth Required	
Indoor	

Special Offers	
Recessed Spots Adjustable	
11105C/MC	
Brushed Chrome	
Die Cast	
Circular	
30mm	
94mm	
82mm	
Yes	
60mm	
Yes	

Adjustable

1 Direction

Electrical Characteristics

Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU5.3

Number of Lamps

1

Cable Length

40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length

10cm

Box Width

10cm

Box Height

5cm

Box Weight

0.126kg

Pcs/Carton

100

Barcode

5291889003168

HS Code

9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

