

04 Recessed Spots Adjustable LED>The Dimmable Reflector Spots

11106KD/W



6,3W LED adjustable recessed spot, with built-in 230V LED driver, made of plastic, with 3 plastic rings, white, black and grey colour.

Supplied with TRIAC dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery






Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Dimmable Reflector Spots
Order Code	11106KD/W
Material	Plastic
Shape	Circular
Height	59,5mm
Diameter	86mm


Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6,3W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Brand	Nichia
LED Number	1
F Mark	

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6,3W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	Yes
Output Terminal	Cable

Illumination Data

Colour Temperature	3000K
Lumen Output	345lm
Light Efficiency	54,76lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889035008
HS Code	9405104090

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

