

04 Recessed Spots Adjustable LED>Swivel Range Aluminium

11108LA/W/W



8W COB LED recessed adjustable spot, for general lighting applications.

Complete with 200mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Swivel Range Aluminium
Order Code	11108LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	78mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes

Adjustable

2 Directions

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

200mA

Voltage

37V

Safety Class



Power(Watts)

7,4W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

LED Number

1


F Mark




Gear

Gear Type

Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6,4-8W
Power Factor	0,5
Constant Current	Yes
200mA	32-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Philips

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	25°
Illumination Diagram	

Packing Info

Box Length	10,5cm
Box Width	10,5cm
Box Height	11cm
Box Weight	0.433kg
Pcs/Carton	24
Barcode	5291889058885
HS Code	9405413990

Warranty

3 years

switch to
one light!

one
LIGHT

