

05 Downlights > Extractable R111 Die cast

## 11110H/W



Recessed adjustable R111 extractable downlight with GU10 lampholder.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery





### Physical Specification

Item Group	05 Downlights
Family	Extractable R111 Die cast
Order Code	11110H/W
Colour	White
Material	Die Cast
Shape	Circular
Height	160mm

Diameter	195mm
Cutout Hole Diameter	185mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	2 Directions

#### Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	75W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	20cm
F Mark	

#### Illumination Data

Illumination Diagram	
----------------------	---

#### Packing Info

Box Length	20cm
Box Width	20cm

Box Height	18cm
Box Weight	1,38Kg
Pcs/Carton	8
Barcode	5291889020684
HS Code	9405409900

#### Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

