



Product Datasheet

04 Recessed Spots Adjustable LED>The Dark Light Range

11112D/W/W



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads










Dimensions





85mm

Gallery



Must be ordered separately



89015A

Physical Specification Item Group 04 Recessed Spots Adjustable LED Family The Dark Light Range 11112D/W/W Order Code Colour White Material Aluminium Shape Circular Height 85mm Diameter 86mm **Cutout Hole Diameter** 79mm Recessed Ceiling Yes Depth Required 110mm Indoor Yes Adjustable 1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature 3000K

Lumen Output	650lm
Light Efficiency	54,16lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info		
Box Length	10cm	
Box Width	10cm	
Box Height	11cm	
Box Weight	0,322Kg	
Pcs/Carton	24	
Barcode	5291889036968	
HS Code	9405409900	

Certification & Warranty Warranty 2 Years Weee Directive Yes



