

07 Downlights Adjustable LED > Adjustable Multi LED Aluminium

11112L/W/15



12W LED adjustable multiled downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015

Physical Specification

| | |
|----------------------|--------------------------------|
| Item Group | 07 Downlights Adjustable LED |
| Family | Adjustable Multi LED Aluminium |
| Order Code | 11112L/W/15 |
| Colour | Aluminium |
| Material | Natural Aluminium |
| Shape | Circular |
| Height | 70mm |
| Diameter | 155mm |
| Cutout Hole Diameter | 140mm |
| Recessed Ceiling | Yes |
| Depth Required | 80mm |
| Indoor | Yes |
| Adjustable | 1 Direction |


Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 12 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| | |
|--------------------|-------|
| Colour Temperature | 3000K |
|--------------------|-------|

| | |
|----------------------|---|
| Lumen Output | 540lm |
| Light Efficiency | 45lm/W |
| Beam Angle | 15° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 0.900kg |
| Pcs/Carton | 30 |
| Barcode | 5291889019213 |
| HS Code | 9405413990 |

Certification & Warranty

| | |
|----------|---------|
| Warranty | 2 years |
|----------|---------|

switch to
one light!

one
LIGHT

