

07 Downlights Adjustable LED>The COB Pop Up Range Die cast

11115E/W/W



12W LED adjustable COB Pop Up range downlight, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015

Related items




89015T


Physical Specification

Item Group	07 Downlights Adjustable LED
Family	The COB Pop Up Range Die cast
Order Code	11115E/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	53mm
Diameter	150mm
Cutout Hole Diameter	135mm
Recessed Ceiling	Yes
Depth Required	65mm
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Cree
Cable Length	30cm
F Mark	

Cree
30cm


Illumination Data

Colour Temperature	3000K
Lumen Output	1114lm
Light Efficiency	74,26lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

3000K
1114lm
74,26lm/W
80
38°


Packing Info

Box Weight	0,62Kg
Pcs/Carton	25
Barcode	5291889040262
HS Code	9405409900

0,62Kg
25
5291889040262
9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

3 Years
Yes

switch to
one light!

one
LIGHT

