

07 Downlights Adjustable LED>The COB Pop Up Range Die cast

## 11126F/W/W



26W LED adjustable COB Extractable Range, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89030A

Related items



89030AT

Physical Specification



Item Group

07 Downlights Adjustable LED

Family	The COB Pop Up Range Die cast
Order Code	11126F/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	126mm
Diameter	125mm
Cutout Hole Diameter	116mm
Recessed Ceiling	Yes
Depth Required	150mm
Indoor	Yes
Adjustable	2 Directions


## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	26W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	2210lm

Light Efficiency	85lm/W
CRI	92
Beam Angle	36°
Illumination Diagram	

#### Packing Info

Pcs/Carton	18
Barcode	5291889067894
HS Code	9405409900

#### Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to  
**one light!**

**one**  
LIGHT

