


07 Downlights Adjustable LED>The COB Trimless LED Aluminium

11130BT/W/W



30W COB Recessed adjustable Trimless LED spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery




Must be ordered separately



89030A

Related items



89030AT

Physical Specification

Item Group	07 Downlights Adjustable LED
Family	The COB Trimless LED Aluminium
Order Code	11130BT/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	150mm
Width	150mm
Height	125mm
Cutout Hole Diameter	110mm
Recessed trimless ceiling	Yes
Depth Required	160mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	42V
Safety Class	III
Power(Watts)	30W
IP Rating	IP20

Light Source
LED Type
LED Brand
Cable Length
F Mark

LED built in
COB
Cree
40cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2200lm
73,33lm/W
80
38°


Packing Info

Box Length
Box Width
Box Height
Pcs/Carton
Barcode
HS Code

15,5cm
15,5cm
13cm
12
5291889051527
9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

