

07 Downlights Adjustable LED>The COB Recessed Range Die cast

11135L/W/C



35W Recessed COB LED downlight, IP20. Ideal for shops.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Item Group	07 Downlights Adjustable LED
Family	The COB Recessed Range Die cast
Order Code	11135L/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	177mm


Cutout Hole Diameter	145mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	900mA
Voltage	37V
Safety Class	
Power(Watts)	33,3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	28,8-37,8W
Power Factor	0,9
Constant Current	Yes
900mA	32-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Philips

Illumination Data

Colour Temperature	4000K
Lumen Output	3050lm
Light Efficiency	87,14lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	

Packing Info

Box Length	16,5cm
Box Width	16,5cm
Box Height	23cm
Box Weight	1,5kg
Pcs/Carton	18
Barcode	5291889043508

HS Code

9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

