



Product Datasheet

13 Wall & Ceiling LED>Decorative Wall & Ceiling Natural aluminium

12101/AL/W



6x0,2W LED Decorative Indoor Wall and Ceiling Light

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Decorative Wall & Ceiling Natural aluminium
Order Code	12101/AL/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	PC
Shape	Circular
Height	60mm
Diameter	140mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Fitting + Driver Input Voltage 220-240V 50 Hz	Gear	Built In
Input Voltage 220-240V		
So Hz	Fitting + Driver	
Safety Class	Input Voltage	220-240V
Safety Class □ Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Input Type Constant Current Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Gear Gear Gear Gear Upe Led Driver Input Voltage 220-240V 50 Hz Ves 60 Hz Power(Watts) 1,2W Power Factor 0,5	50 Hz	Yes
Power(Watts)	60 Hz	Yes
IP Rating IP20 Light Source LED built in Fitting Input Type Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Led Driver Input Voltage 220-240V 50 Hz Yes Power(Watts) 1,2W Power(Watts) 1,2W Power Factor 0,5	Safety Class	
Light Source Dimmable No F Mark Fitting Input Type Constant Current Power(Watts) 1,2W IP20 Light Source LED built in Gear Gear Gear Type Led Driver Input Voltage 50 Hz Yes Power(Watts) 1,2W 1,2W	Power(Watts)	1,2W
Dimmable F Mark Fitting Input Type Constant Current Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Gear Gear Type Led Driver Input Voltage 50 Hz Yes Power(Watts) 1,2W Power Factor 0,5	IP Rating	IP20
F Mark Fitting Input Type Constant Current Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Constant Current IP20 LED built in Gear Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 1,2W Power Factor 0,5	Light Source	LED built in
Fitting Constant Current	Dimmable	No
Input Type Constant Current Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 1,2W Power Factor 0,5	F Mark	F
Input Type Constant Current Power(Watts) 1,2W IP Rating IP20 Light Source LED built in Gear Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 1,2W Power Factor 0,5		
Power(Watts)	Fitting	
IP Rating IP20 Light Source LED built in Gear Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Power(Watts) 1,2W Power Factor 0,5	Input Type	Constant Current
Light Source LED built in Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 1,2W Power Factor 0,5	Power(Watts)	1,2W
Gear Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 1,2W Power Factor 0,5	IP Rating	IP20
Gear TypeLed DriverInput Voltage220-240V50 HzYes60 HzYesPower(Watts)1,2WPower Factor0,5	Light Source	LED built in
Gear TypeLed DriverInput Voltage220-240V50 HzYes60 HzYesPower(Watts)1,2WPower Factor0,5		
Input Voltage220-240V50 HzYes60 HzYesPower(Watts)1,2WPower Factor0,5	Gear	
50 HzYes60 HzYesPower(Watts)1,2WPower Factor0,5	Gear Type	Led Driver
Fower (Watts) Power Factor Yes 1,2W 0,5	Input Voltage	220-240V
Power(Watts) 1,2W Power Factor 0,5	50 Hz	Yes
Power Factor 0,5	60 Hz	Yes
	Power(Watts)	1,2W
Constant Current Yes	Power Factor	0,5
	Constant Current	Yes
IP Rating IP20	IP Rating	IP20

Safety Class	
Dimmable	No
Housing Material	Plastic
Illumination Data	
Colour Temperature	3000K
Illumination Diagram	
Packing Info	
Box Weight	0.663kg
Pcs/Carton	24
Barcode	5291889017448
HS Code	9405409900
Certification & Warranty	
Warranty	2 Years

Yes



Weee Directive

