

13 Wall & Ceiling LED>The Backlight Cylinders

12112A/B/W



10W Downlight + 2W Uplight COB LED Cylinder. Gun Black Reflector.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Backlight Cylinders
Order Code	12112A/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	102mm
Diameter	85mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		10W+2W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		300mA	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Cree	

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		8,4-12,6W	
Constant Current		Yes	
300mA		28-42V	
IP Rating		IP20	


Safety Class	
Dimmable	No
Housing Material	Plastic



No

Plastic

Illumination Data

Colour Temperature	3000K
Lumen Output	1000lm
Light Efficiency	83.33lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes

3000K

1000lm

83.33lm/W

90

60°



Yes

Packing Info

Pcs/Carton	40
Barcode	5291889079545
HS Code	9405413990

40

5291889079545

9405413990

Certification & Warranty

Warranty	3 years
Weee Directive	Yes

3 years

Yes

switch to
one light!

one
LIGHT

