

13 Wall & Ceiling LED>The Dark Light Ceiling Lights

12112H/W/W



12W Dark light surface ceiling spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Dark Light Ceiling Lights
Order Code	12112H/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	138mm
Width	36mm
Height	83mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

Safety Class



Power(Watts)

12W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

16V

Safety Class



Power(Watts)

12W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3535

LED Brand

Bridgelux

LED Number

5

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


7,7-11,9W

Power Factor

0,85

Constant Current	Yes
700mA	11-17V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+45°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	840lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.452kg
Pcs/Carton	40
Barcode	5291889074731
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

