

New 2025 Edition 2>Wall & Ceiling LED

## 12125D/B/V



CCT Variable 25W LED surface mounted downlight. IP44.

Supplied with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.




### Downloads



### Dimensions



### Gallery






### Physical Specification

Item Group	New 2025 Edition 2
Family	Wall & Ceiling LED
Order Code	12125D/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	80mm

Diameter	160mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

### Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP44
Light Source	LED built in
LED Type	SMD
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Output	650mA
IP Rating	IP20
Dimmable	No

#### Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	2500lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	90°
Illumination Diagram	
UGR	19

#### Packing Info

Box Weight	0.785kg
Pcs/Carton	20
Barcode	5291889082798
HS Code	9405413990

#### Certification & Warranty

Warranty	5 years
----------	---------

switch to  
**one light!**

one  
LIGHT

