

13 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12125LA/W/W



25W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12125LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	138mm
Diameter	168mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		25W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		600mA	
Voltage		40V	
Power(Watts)		24W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Philips	

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		16,2-25,2W	
Power Factor		0,9	

Constant Current
600mA
IP Rating
Safety Class
Dimmable
Housing Material

Yes
27-42V
IP20

No
Plastic

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2100lm
84lm/W
80
50°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.861kg
18
5291889044918
9405409900

Certification & Warranty

Warranty

3 Years

switch to
one light!

one
LIGHT

