

13 Wall & Ceiling LED>The Backlight Cylinders

## 12128A/B/W



26W Downlight + 2W Uplight COB LED Cylinder. Gun Black Reflector.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Backlight Cylinders
Order Code	12128A/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	130mm
Diameter	115mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

26W+2W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

700mA

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

19,6-29,4W

Constant Current

Yes

700mA

28-42V

IP Rating

IP20


Safety Class	
Dimmable	No
Housing Material	Plastic



No

Plastic

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2600lm
Light Efficiency	92,86lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes

3000K

2600lm

92,86lm/W

90

60°



Yes

#### Packing Info

Pcs/Carton	20
Barcode	5291889079583
HS Code	9405413990

20

5291889079583

9405413990

#### Certification & Warranty

Warranty	3 years
Weee Directive	Yes

3 years

Yes

switch to  
**one light!**

one  
LIGHT

