

13 Wall & Ceiling LED>The Backlight Cylinders

12128A/W/W



26W Downlight + 2W Uplight COB LED Cylinder. Gun Black Reflector.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Backlight Cylinders
Order Code	12128A/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	130mm
Diameter	115mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

26W+2W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

19,6-29,4W

Constant Current

Yes

700mA

28-42V

IP Rating

IP20

Safety Class
Dimmable
Housing Material



No

Plastic

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K

2600lm

92,86lm/W

90

60°



Yes

Packing Info

Pcs/Carton
Barcode
HS Code

20

5291889079590

9405413990

Certification & Warranty

Warranty
Weee Directive

3 years

Yes

switch to
one light!

one
LIGHT

