

13 Wall & Ceiling LED>Mirror Square Boxes

12906B/B/W



30W COB LED surface Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|-----------------|-----------------------|
| Item Group | 13 Wall & Ceiling LED |
| Family | Mirror Square Boxes |
| Order Code | 12906B/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 123mm |
| Width | 123mm |
| Height | 88mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

40V

Safety Class



Power(Watts)

28W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

LED Number

9

F Mark



Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

| | |
|------------------|---|
| 60 Hz | Yes |
| Power(Watts) | 19,6-29,4W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 28-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 2400lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 1.283kg |
| Pcs/Carton | 12 |
| Barcode | 5291889064121 |
| HS Code | 9405409900 |

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

