

Product Datasheet

38114M/W

18 Bathroom>The Mirror LED Round Aluminium + PC



15W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



| Downloads | Dimensions |
|-----------|-------------|
| | 40mm 1 58mm |

Physical Specification

| Item Group | 18 Bathroom |
|-------------------|-------------------------------------|
| Family | The Mirror LED Round Aluminium + PC |
| Order Code | 38114M/W |
| Colour | Chrome |
| Material | Aluminium |
| Diffuser Material | PC |
| Shape | Rectangular |

| Length | 600mm |
|--------------|-------|
| Width | 40mm |
| Height | 58mm |
| Surface Wall | Yes |
| Indoor | Yes |



| Gear | Built In |
|------------------|--------------|
| | |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 15W |
| IP Rating | IP44 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

Fitting

| Input Type | Constant Current |
|---------------|------------------|
| Input Current | 130mA |
| Voltage | 100V |
| Power(Watts) | 13W |
| IP Rating | IP44 |
| Light Source | LED built in |
| LED Type | SMD 2835 |
| | |
| Gear | |

| Gear ⁻ | Tvpe |
|-------------------|------|
| oour | 1900 |

Led Driver

| Input Voltage | 220-240V |
|------------------|----------|
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 13-15,6W |
| Power Factor | 0,9 |
| Constant Current | Yes |



| Output | 130mA |
|---------------|----------|
| Voltage Range | 100-120V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |

Illumination Data

| Colour Temperature | 3000K |
|----------------------|--------|
| Lumen Output | 1200lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Illumination Diagram | |

Packing Info

| Box Weight | 0.608kg |
|------------|---------------|
| Pcs/Carton | 12 |
| Barcode | 5291889066279 |
| HS Code | 9405413990 |

Certification & Warranty

Warranty

2 years

switch to one light!



