




# **Product Datasheet**

### 18 Bathroom>Slim Mirror Lights

## 38114N/W/W



14W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



### **Physical Specification**

Item Group	18 Bathroom
Family	Slim Mirror Lights
Order Code	38114N/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	600mm
Width	130mm
Height	60mm
Surface Wall	Yes
Indoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	14W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Input Current  Light Source	300mA  LED built in
Light Source	LED built in
Light Source	LED built in
Light Source  LED Type	LED built in
Light Source  LED Type  Gear	LED built in SMD 2835
Light Source  LED Type  Gear  Gear Type	LED built in SMD 2835 Led Driver
Light Source  LED Type  Gear  Gear Type  Input Voltage	LED built in SMD 2835  Led Driver 220-240V
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz	LED built in SMD 2835  Led Driver 220-240V Yes
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz  60 Hz	LED built in SMD 2835  Led Driver 220-240V Yes Yes
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz  60 Hz  Power(Watts)	LED built in SMD 2835  Led Driver 220-240V Yes Yes 9,9-15W
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz  60 Hz  Power(Watts)  Power Factor	LED built in  SMD 2835  Led Driver  220-240V  Yes  Yes  9,9-15W  0,9
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz  60 Hz  Power(Watts)  Power Factor  Constant Current	LED built in SMD 2835  Led Driver 220-240V Yes Yes 9,9-15W 0,9 Yes
Light Source  LED Type  Gear  Gear Type  Input Voltage  50 Hz  60 Hz  Power(Watts)  Power Factor  Constant Current  300mA	LED built in SMD 2835  Led Driver 220-240V  Yes  Yes  9,9-15W  0,9  Yes  33-50V

# Colour Temperature 3000K Lumen Output 1200lm Light Efficiency 85,7lm/W CRI 80

Packing Info		
Pcs/Carton	6	
Barcode	5291889078654	
HS Code	9405413990	

Certification & Warranty	
Warranty	2 years
Weee Directive	Yes



Illumination Data

Illumination Diagram

