

## **Product** Datasheet

www.1-light.eu

#### New 2025 Edition 2>Office & Kitchen

### 38145AR/B/V



CCT and Power variable 40W UGR19 Recessed linear with diffuser, ideal for offices.

Complete with power variable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
IES O CE	1210mm I 50mm
	55mm

#### Gallery



**Physical Specification** 

Item Group

New 2025 Edition 2

	$\mathbf{n}$	IIV
<b>– – –</b>		1117
I U		
		,

#### Office & Kitchen

Order Code	38145AR/B/V
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	1210mm



Width	50mm
Height	55mm
Cutout Hole Width	1200mm
Cutout Hole Length	37mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	No

#### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W-30W-40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type

Constant Current

IP Rating	IP20
Light Source	LED built in
LED Type	SMD
Gear	
Gear Type	Led Driver



Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No

#### Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	3800lm (40W)
Light Efficiency	95lm/W
CRI	90
Illumination Diagram	
UGR	19

#### Packing Info

Pcs/Carton	12
Barcode	5291889082460
HS Code	9405413990

#### Certification & Warranty

Warranty

3 years

# switch to one light!



