

11 Office & Kitchen>LED Linear Profiles Large size

## 38160A/B/C



40W UGR19 Surface and suspended linear LED with diffuser, ideal for offices. Complete with 1000mA driver , 4pcs fixing clips & 4pcs connectors .

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Accessories



050170

## Physical Specification

Item Group	11 Office & Kitchen
Family	LED Linear Profiles Large size
Order Code	38160A/B/C
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	1200mm
Width	75mm
Height	75mm
Surface Ceiling	Yes
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	300cm
F Mark	

## Fitting

Input Type

Constant Current

Input Current

1000mA

Voltage

38V

Power(Watts)

38W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

28-40W

Power Factor

0,9

Constant Current

Yes

1000mA

28-40V

IP Rating

IP20

Safety Class



Dimmable

No

Brand

AGT

## Illumination Data

Colour Temperature

4000K

Lumen Output

3400lm

Light Efficiency

85lm/W

CRI

90

Illumination Diagram



## Packing Info

Box Weight	3.166kg
Pcs/Carton	12
Barcode	5291889067979
HS Code	9405413990

## Certification &amp; Warranty

Warranty	3 years
----------	---------

switch to  
**one light!**

one  
LIGHT

